

Tel 0345 873 8840





GALLERY 10


10mm Toughened Safety Glass Fixed Walk In Panels & Wall Profiles



























CODE	Α	В	Adjustment with Wall profile	
	mm	mm	mm	
GR030010C+	255	1997	15	
GR040010CF+	355	1997	15	
GR050010CF+	455	1997	15	
GR060010CF+	555	1997	15	
GR070010CF+	655	1997	15	
GR076010CF+	715	1997	15	
GR080010CF+	755	1997	15	
GR090010CF+	855	1997	15	
GR100010CF+	955	1997	15	
GR110010CF+	1055	1997	15	
GR120010CF+	1155	1997	15	
GR140010CF+	1355	1997	15	


Maximum width of glass without bracing support 500mm






CODE	Gallery 10 Wall Profile	ADJUSTMENT	Size w x d	Height
	Colour	mm	mm	mm
GRPROFILEF	Brushed Brass	15	30 x 22	2000
GRPROFILEMB	Matt Black	15	30 x 22	2000
GRPROFILEPSS	Polished Stainless Steel	15	30 x 22	2000
GRPROFILEV	Brushed Stainless Steel	15	30 x 22	2000

Supplied with Cover cap and Squeeze gasket















Toughened Glass

Strong and safe








Brushed Stainless

Matt Black

crosswater





Strong and safe



Easy to clean











Polished Stainless

Brushed Stainless

Matt Black



GALLERY 10 Fixed Walk In Panels **Bracing Bar Options**



Glass to Wall Bracing Bar 1200mm long. Can support panels up to 1400mm.



Glass to Ceiling Bracing Bar 600mm long. Can support panels up to 1000mm.



T Bracing Bar 1200 x 1200mm. Can support panels up to 1000mm.



Strong and safe




Easy to clean














Brushed Stainless



Matt Black



GALLERY 10 Optional Seal



CODE Gallery 10 Optional Seal

GRSEAL1400X10 Clear PVC Self-adhesive Supplied to be cut down during installation



