

crosswater^x

10

LUXURY SHOWERING SPACES

Showering is a ritual

From the invigorating morning ritual to unwinding at the end of the day, the indulgent process of enveloping ourselves in a deluge of water makes showering an unparalleled pleasure.

While shower valves and heads heighten such an experience, it is the surroundings that set the foundation for encompassing a powerful sense of serenity, personal privacy and contentment that every shower experience should deliver.

GALLERY 10

6

An expertly curated collection of 10mm toughened glass panels, profiles and bracing bars in four indulgent colours with diverse layout options for complete design freedom.

OPTIX 10

26

Enhancing luxury within modern and traditional settings. Available in four door types and three striking colours to make designing your perfect luxury showering space incredibly easy.

SHOWER TRAYS

58

Our recommended high quality 25mm stone resin shower trays that perfectly pair with Gallery 10 and Optix 10.





Your ritual, your way

An enticing array of beautiful colour finishes and an untold number of design possibilities offer incredible creative flexibility for a truly personalised bathroom style, meaning you can enjoy your rituals, your way.



Our 10mm toughened safety glass and highest quality materials envelop you during your showering ritual, culminating in feelings of contentment and serenity from start to finish.



Easy-clean Crosswater Clear is a surface treatment applied to all shower and bath panels. It helps prevent limescale, soap and shampoo build-up for sparkling glass every day.



We're so sure of our products' quality that we offer a lifetime guarantee* on all our shower enclosures, walk-in panels and bath screens providing complete peace of mind.






The home of showering

This brochure focuses on our 10mmm collection of luxury shower spaces, allowing you to create the surroundings for an encompassing sense of serenity, personal privacy and contentment that every shower experience should deliver.

However, this forms only one part of the perfect bathroom experience. So Crosswater offers a comprehensive range of shower valves and matching designer brassware with coordinated furniture to complete your bathroom space.



For our full product range please visit crosswater.co.uk





GALLERY 10

Expertly curated, our luxury GALLERY 10 collection offers 10mm toughened safety glass, profiles and stabilising options in an assortment of indulgent colours with diverse layout options, giving you complete design flexibility to create your personalised showering solution.

The GALLERY 10 range is suitable for either a shower tray or tiled floor installation.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

BRUSHED BRASS

Walk In p 18

BRUSHED STAINLESS STEEL

Walk In p 20

POLISHED STAINLESS STEEL

Walk In p 22

MATT BLACK


Walk In p 24

GALLERY 10

Product Highlights

1. Slimline wall profile with concealed fixings and cover cap
2. Glass to glass corner seal for joining glass panels
3. Fixed return panel bracket for joining glass panels
4. Fixed panels with T bracing bar
5. 180° hinged deflector panel
6. Glass to ceiling bracing bar
7. Glass to wall bracing bar





GALLERY 10

Colour influences the soul

There are many ways that you can combine colour, lighting and interior design elements to create a personality, emotion and sense of serenity and wellbeing within your bathroom in an otherwise neutral space.

Gallery 10's beautiful high-quality finishes, using 304 grade stainless steel and solid brass base materials, allow you to bring long lasting colour into your bathroom and perfectly match other signature elements such as brassware, furniture and accessories.

For our full range of products visit crosswater.co.uk





GALLERY 10 Designing Your Walk In


Identify your space

When designing your perfect walk in shower space, the first steps are to define who will be using the shower and the space you have or can create. Having decided those important factors, you can identify your wall configuration and measure your space. Typically there are three wall configurations as below:

Recess

Recess wall configurations are three sided, and the glass panel installs within this space.


Options for this wall type appear on page 14 numbered 1–6.



Corner

Corner wall configurations are two sided with the glass panel creating the other sides.


Options for this wall type appear on page 14 numbered 7–12.



Straight Open Wall

Straight open wall configurations allow the creation of two sided or single walk through type configurations.

Options for this wall type appear on page 14 numbered 13–18.






GALLERY 10 Configurations

Select your configuration


Once you have identified your wall configuration (see p.12) you can create your personalised showering solution; with our flexible modular glass panels, profiles and stabilising fixings the layout options are almost endless.

When choosing your configuration, we recommend you allow 500mm minimum entry space.




1. Recess with Wall Bracing Bar

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Glass to Wall Bracing Bar




2. Recess with Ceiling Bracing Bar

- 1 x Glass Panel (up to 1000mm max.)
- 1 x Wall Profile
- 1 x Glass to Ceiling Bracing Bar




3. Recess with Hinged Deflector

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Glass to Wall Bracing Bar
- 1 x Glass Panel for Hinged Deflector
- 1 x Deflector Panel 180° Hinges (pair)




4. Recess with Fixed Deflector

- 1 x Glass Panel (any size)
- 1 x Wall Profile
- 1 x Glass to Wall Bracing Bar
- 1 x Glass Panel (up to 400mm max.)
- 1 x Glass to Glass Brackets (pair)
- 1 x Glass to Glass Seal




5. Recess with Double Panel

- 2 x Glass Panels
- 2 x Wall Profiles
- 2 x Glass to Wall Bracing Bars




6. Recess with Double Panel

- 2 x Glass Panels (up to 1000mm max.)
- 2 x Wall Profiles
- 2 x Glass to Ceiling Bracing Bars




7. Corner with T Bracing Bar

- 2 x Glass Panels (up to 1000mm max.)
- 2 x Wall Profiles
- 1 x T Bracing Bar



8. Corner with Hinged Deflector

- 2 x Glass Panels (up to 1000mm max.)
- 2 x Wall Profiles
- 1 x T Bracing Bar
- 1 x Glass Panel for Hinged Deflector
- 1 x Deflector Panel 180° Hinges (pair)




9. Corner with Fixed Deflector

- 2 x Glass Panels (up to 1000mm max.)
- 2 x Wall Profiles
- 1 x T Bracing Bar
- 1 x Glass Panel (up to 400mm max.)
- 1 x Glass to Glass Brackets (pair)
- 1 x Glass to Glass Seal


Additional Design Flexibility

The configurations shown are the most typical options; if you require something different please talk to your local bathroom specialist. For further installation information or to find your local retailer visit crosswater.co.uk




10. Corner with Wall Bracing Bar

- 1 x Glass Panel (any size)
- 1 x Glass Panel (up to 500mm max.)
- 2 x Wall Profiles
- 1 x Glass to Wall Bracing Bar




11. Corner with Hinged Deflector

- 1 x Glass Panel (any size)
- 1 x Glass Panel (up to 500mm max.)
- 2 x Wall Profiles
- 1 x Glass to Wall Bracing Bar
- 1 x Glass Panel for Hinged Deflector
- 1 x Deflector Panel 180° Hinges (pair)




12. Corner with Fixed Deflector

- 1 x Glass Panel (any size)
- 1 x Glass Panel (up to 500mm max.)
- 2 x Wall Profiles
- 1 x Glass to Wall Bracing Bar
- 1 x Glass Panel (up to 400mm max.)
- 1 x Glass to Glass Brackets (pair)
- 1 x Glass to Glass Seal




13. Walk Through

- 1 x Glass Panel
- 2 x Glass to Wall Bracing Bars




14. Walk Through with Hinged Deflectors

- 1 x Glass Panel
- 2 x Glass to Wall Bracing Bars
- 2 x Glass Panels for Hinged Deflector
- 2 x Deflector Panel 180° Hinges (pair)




15. Walk Through with Fixed Deflectors

- 1 x Glass Panel (any size)
- 2 x Glass to Wall Bracing Bars
- 2 x Glass Panels (up to 400mm max.)
- 1 x Glass to Glass Brackets (pair)
- 2 x Glass to Glass Seal




16. Glass Corner

- 2 x Glass Panels
- 1 x Wall Profile
- 1 x T Bracing Bar
- 1 x Glass to Glass Corner Seal



17. Glass Corner with Hinged Deflector

- 2 x Glass Panels
- 1 x Wall Profile
- 1 x T Bracing Bar
- 1 x Glass to Glass Corner Seal
- 1 x Glass Panel for Hinged Deflector
- 1 x Deflector Panel 180° Hinges (pair)



18. Glass Corner with Fixed Deflector

- 2 x Glass Panels (any size)
- 1 x Wall Profile
- 1 x T Bracing Bar
- 1 x Glass to Glass Corner Seal
- 1 x Glass Panel (up to 400mm max.)
- 1 x Glass to Glass Brackets (pair)
- 1 x Glass to Glass Seal

GALLERY 10 Personalising Your Space

Consider Your Stabilising Fixings

To enable you to create your personalised showering space we have a range of stabilising fixings available. In all cases you should ensure a secure fixing. We do not recommend fixing to plasterboard alone, please consult your local installer for guidance.



Glass to Wall Bracing Bar

1200mm long. Can support panels up to 1400mm.



Glass to Ceiling Bracing Bar

600mm long. Can support panels up to 1000mm.



T Bracing Bar

1200 x 1200mm. Can support panels up to 1000mm.



Wall Profile with 15mm Adjustment

Can support panels up to 500mm without a bracing bar.



Glass to Glass Corner Seal

For joining two fixed glass panels.

Not sure what you need?



Please refer to the list below your chosen configuration on page 14 to identify the stabilising fixings you require.

Depending on the configuration you select you may need to use a combination of stabilising fixings.

If you need further guidance please visit crosswater.co.uk or speak to your local installer.

Reduce Splashing

Add on a 180° hinged or fixed deflector panel to create a personalised shower space with extra splash protection; giving the pleasure and luxury appearance of a walk-in shower in even the most modest of bathroom spaces.



180° Hinged Deflector Panels

Just as they sound a hinged deflector panel allows the glass to move, enabling greater access to the shower area then protect against overspray when the water is running.

Fixed Deflector Panels

Fixed deflector panels offer the same design flexibility particularly in smaller spaces. These can be installed using our glass to glass brackets and a glass panel up to 400mm.

Choose Your Perfect Shower Base

Our Gallery 10 Walk In collection can be installed with a shower tray or in a full wet room for complete design freedom.



Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom. For our full range please visit [crosswater.co.uk](https://www.crosswater.co.uk)



GALLERY 10 **Brushed Brass**





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



1400x800mm Walk Through with Fixed Panels with 25mm Linear Waste Shower Tray, matching waste and MPRO brassware

A flexible modular system of 2000mm high toughened glass panels, profiles and stabilising fixings in beautiful Brushed Brass offers complete design freedom whatever your bathroom size.

With an optional hinged deflector or fixed return panel to prevent splashing and minimal wall profiles with 15mm adjustment, you can easily create your perfect showering space.

Suitable for either a shower tray or tiled floor installation.

Choose Your Toughened Glass Panels

Width	Code	Price
300mm	GR030010CF	£120
400mm	GR040010CF	£145
500mm	GR050010CF	£170
600mm	GR060010CF	£195
700mm	GR070010CF	£220
760mm	GR076010CF	£240
800mm	GR080010CF	£245
900mm	GR090010CF	£270
1000mm	GR100010CF	£295
1100mm	GR110010CF	£320
1200mm	GR120010CF	£345
1400mm	GR140010CF	£370

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar.

Choose Your Wall Profile and Stabilising Fixings

Part	Size	Code	Price
Wall Profile with Seal	2000mm	GRPROFILEF	£275
Glass to Wall Bracing Bar	1200mm	GRBRACEF	£155
T Bracing Bar	1200 x 1200mm	GRTBRACEF	£260
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEF	£125
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£12

Add Optional Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEF	£210
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£120
Glass to Glass Brackets (Pair)	-	GRBRACKF	£110
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£15
Glass Bottom Seal*	1400 x 10mm	GRSEAL1400X10	£5

*Must be cut to length on installation **Recommended when using glass to glass brackets

Complete Your Showering Space

We recommend pairing your Gallery 10 enclosure with our **25mm Linear Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 60

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk



GALLERY 10 **Brushed Stainless Steel**





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



1700x800mm Corner with T Bracing Bar with 25mm Linear Waste Shower Tray, matching waste and MPRO brassware

A flexible modular system of 2000mm high toughened glass panels, profiles and stabilising options in stylish Brushed Steel offers complete design freedom whatever your bathroom size.

With an optional hinged deflector or fixed return panel to prevent splashing and minimal wall profiles with 15mm adjustment, you can easily create your perfect showering space.

Suitable for either a shower tray or tiled floor installation.

Choose Your Toughened Glass Panels

Width	Code	Price
300mm	GR030010CF	£120
400mm	GR040010CF	£145
500mm	GR050010CF	£170
600mm	GR060010CF	£195
700mm	GR070010CF	£220
760mm	GR076010CF	£240
800mm	GR080010CF	£245
900mm	GR090010CF	£270
1000mm	GR100010CF	£295
1100mm	GR110010CF	£320
1200mm	GR120010CF	£345
1400mm	GR140010CF	£370

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar.

Choose Your Wall Profile and Stabilising Fixings

Part	Size	Code	Price
Wall Profile with Seal	2000mm	GRPROFILEV	£275
Glass to Wall Bracing Bar	1200mm	GRBRACEV	£155
T Bracing Bar	1200 x 1200mm	GRTBRACEV	£260
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEV	£125
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£12

Add Optional Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEV	£210
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£120
Glass to Glass Brackets (Pair)	-	GRBRACKV	£110
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£15
Glass Bottom Seal*	1400 x 10mm	GRSEAL1400X10	£5

*Must be cut to length on installation **Recommended when using glass to glass brackets

Complete Your Showering Space

We recommend pairing your Gallery 10 enclosure with our **25mm Linear Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 60

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk



GALLERY 10 Polished Stainless Steel





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

A flexible modular system of 2000mm high toughened glass panels, profiles and stabilising options in classic Polished Stainless Steel offers complete design freedom whatever your bathroom size.

With an optional hinged deflector or fixed return panel to prevent splashing and minimal wall profiles with 15mm adjustment, you can easily create your perfect showering space.

Suitable for either a shower tray or tiled floor installation.

Choose Your Toughened Glass Panels

Width	Code	Price
300mm	GR030010CF	£120
400mm	GR040010CF	£145
500mm	GR050010CF	£170
600mm	GR060010CF	£195
700mm	GR070010CF	£220
760mm	GR076010CF	£240
800mm	GR080010CF	£245
900mm	GR090010CF	£270
1000mm	GR100010CF	£295
1100mm	GR110010CF	£320
1200mm	GR120010CF	£345
1400mm	GR140010CF	£370

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar.

Choose Your Wall Profile and Stabilising Fixings

Part	Size	Code	Price
Wall Profile with Seal	2000mm	GRPROFILEPSS	£170
Glass to Wall Bracing Bar	1200mm	GRBRACEPSS	£95
T Bracing Bar	1200 x 1200mm	GRTBRACEPSS	£165
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEPSS	£85
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£12

Add Optional Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEPSS	£160
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£120
Glass to Glass Brackets (Pair)	-	GRBRACKPSS	£85
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£15
Glass Bottom Seal*	1400 x 10mm	GRSEAL1400X10	£5
Squeegee with Wall Bracket		SHSQUEEGCP	£30

*Must be cut to length on installation **Recommended when using glass to glass brackets

Complete Your Showering Space

We recommend pairing your Gallery 10 enclosure with our **25mm Linear Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 60

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk



1200 x 800mm Recess with Deflector with 25mm Linear Waste Shower Tray, matching waste and MPRO brassware

GALLERY 10 **Matt Black**





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



1400x900mm Glass Corner with 25mm Linear Waste Shower Tray, matching waste and MPRO brassware

A flexible modular system of 2000mm high toughened glass panels, profiles and stabilising options in stunning Matt Black offers complete design freedom whatever your bathroom size.

With an optional hinged deflector or fixed return panel to prevent splashing and minimal wall profiles with 15mm adjustment, you can easily create your perfect showering space.

Suitable for either a shower tray or tiled floor installation.

Choose Your Toughened Glass Panels

Width	Code	Price
300mm	GR030010CF	£120
400mm	GR040010CF	£145
500mm	GR050010CF	£170
600mm	GR060010CF	£195
700mm	GR070010CF	£220
760mm	GR076010CF	£240
800mm	GR080010CF	£245
900mm	GR090010CF	£270
1000mm	GR100010CF	£295
1100mm	GR110010CF	£320
1200mm	GR120010CF	£345
1400mm	GR140010CF	£370

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar.

Choose Your Wall Profile and Stabilising Fixings

Part	Size	Code	Price
Wall Profile with Seal	2000mm	GRPROFILEMB	£170
Glass to Wall Bracing Bar	1200mm	GRBRACEMB	£95
T Bracing Bar	1200 x 1200mm	GRTBRACEMB	£165
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEMB	£85
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£12

Add Optional Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEMB	£160
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£120
Glass to Glass Brackets (Pair)	-	GRBRACKMB	£85
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£15
Glass Bottom Seal*	1400 x 10mm	GRSEAL1400X10	£5

*Must be cut to length on installation **Recommended when using glass to glass brackets

Complete Your Showering Space

We recommend pairing your Gallery 10 enclosure with our **25mm Linear Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 60

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk





OPTIX 10

Enhancing luxury within modern and traditional settings, our OPTIX 10 shower enclosures feature 10mm toughened safety glass for remarkable quality and unparalleled performance. Available in four door types and three striking colours, combine function and style effortlessly within your dream bathroom scheme.

The OPTIX 10 range is suitable for either a shower tray or tiled floor installation.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

BRUSHED BRASS

Sliding Doors p 34

Pivot Doors p 36

Bath Screen p 40

BRUSHED STAINLESS STEEL

Sliding Doors p 42

Pivot Doors p 44

Bath Screen p 48

POLISHED STAINLESS STEEL

Sliding Doors p 50

Pivot Doors p 52

Bath Screen p 56

OPTIX 10

Product Highlights

1. Wall profiles include concealed fixings, squeeze gasket seals for quick in profile adjustment and a top cover cap
2. Ultra-strong 304 grade stainless steel bracing bars finished to match for pivot doors with inline panels
3. Pivot doors with inline panels feature on glass adjustment and flush fit hinges for easy cleaning
4. Concealed, fully adjustable top slider system for smooth soft closing
5. Beautifully designed double handle for easy opening and closing from inside or out
6. Flush-fit pivot door with inline panel hinge for easy cleaning and angled no-drip seal
7. Adjustable, self cleaning rollers feature a concealed brush to ensure the smoothest open/close sliding door





OPTIX 10

Colour influences the soul

There are many ways that you can combine colour, lighting and interior design elements to create a personality, emotion and sense of serenity and wellbeing within your bathroom in an otherwise neutral space.

Optix 10's beautiful high-quality finishes, using 304 grade stainless steel and solid brass base materials, allow you to bring long lasting colour into your bathroom and perfectly match other signature elements such as brassware, furniture and accessories.

For our full range of products visit crosswater.co.uk





OPTIX 10 Choosing Your Space

Single Sliding Door



Super clear seals


Long lasting, easy to clean and fully watertight



Self cleaning rollers


Inbuilt brush system ensures smooth and quiet opening and closing

Pivot Door



Bracing bar in matching finish

For ultra strong wall to glass strength and stability




Watertight magnetic door seals

For reassuringly firm closing and comforting sound of quality



Pivot Door with Inline Panel



Bracing bar in matching finish

For ultra strong wall to glass strength and stability



Watertight magnetic door seals


For reassuringly firm closing and comforting sound of quality

Single Bath Screen with Inline Panel



Sleek wall profile

With concealed fixings and squeeze gasket seals for on glass adjustment



Outward opening 90° flush fit hinge

For freedom when bathing or easy cleaning when needed



OPTIX 10 **Single Sliding Door**





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



1500 x 800mm Single Sliding Door with Side Panel, 25mm Central Waste Shower Tray, matching waste and brassware

OPTIX 10 Single Sliding Door in beautiful Brushed Brass is a perfect enclosure for any bathroom space. Featuring a soft close sliding system and integrated self cleaning rollers for an extremely smooth running system.

With strong 10mm toughened glass panels, 2000mm height, reversible door options for left or right-hand entry and 30mm width adjustment installation is easy. Install in a recess or with a side panel for a corner solution.

Suitable for either a shower tray or tiled floor installation.

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price
1200mm	476	1155-1185	OXSLFC1200	£1450
1400mm	576	1355-1385	OXSLFC1400	£1550
1500mm	626	1455-1485	OXSLFC1500	£1595
1700mm	626	1655-1685	OXSLFC1700	£1795

This shower enclosure requires a shower tray with a minimum ledge of 60mm


Side Panel

Width	Adjustment	Code	Price
800mm	765-790	OXSLSPFC0800	£595
900mm	865-890	OXSLSPFC0900	£675

Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.



1500mm Single Sliding Door in Recess



Complete Your Showering Space

We recommend pairing your OPTIX 10 enclosure with our **25mm Central Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 62

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk



OPTIX 10 **Pivot Door**





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

OPTIX 10 Pivot Door in beautiful Brushed Brass is a perfect enclosure for any modest bathroom space. Featuring a pivot hinge positioned to reduce door overhang so you need less space outside the enclosure.

With strong 10mm toughened glass panels, 2000mm height, reversible door options for left or right-hand entry and 25mm width adjustment installation is easy. Install in a recess or with a side panel for a corner solution.

Suitable for either a shower tray or tiled floor installation.

Pivot Door

Width	Door Opening	Adjustment	Code	Price
800mm	600	760–785	OXWPFC0800	£1075
900mm	800	860–885	OXWPFC0900	£1095

This shower enclosure requires a shower tray with a minimum ledge of 60mm


Side Panel

Width	Adjustment	Code	Price
800mm	770–795	OXWSPFC0800	£650
900mm	870–895	OXWSPFC0900	£695

Side panels are supplied with bracing bar, glass clamp and prefitted closing profile. The moving door must only close against a side panel.



900mm Pivot Door in Recess



Complete Your Showering Space

We recommend pairing your OPTIX 10 enclosure with our **25mm Central Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 62

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk

900 x 900mm Pivot Door with Side Panel, 25mm Central Waste Shower Tray, matching waste and brassware



OPTIX 10 Pivot Door with Inline Panel





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



1400x800mm Pivot Door with Inline Panel and Side Panel, 25mm Central Waste Shower Tray, matching waste and brassware

OPTIX 10 Pivot Door with Inline Panel in beautiful Brushed Brass is a perfect enclosure for any bathroom space. Featuring outward opening hinges to maximise door opening without compromising on space in your enclosure.

With strong 10mm toughened glass panels, 2000mm height, reversible door options for left or right-hand entry and 25mm width adjustment installation is easy. Install in a recess or with a side panel for a corner solution.

Suitable for either a shower tray or tiled floor installation.

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code	Price
800mm	500	760–785	OXPDFC0800	£1295
900mm	500	860–885	OXPDFC0900	£1325
1000mm	600	960–985	OXPDFC1000	£1495
1200mm	650	1160–1185	OXPDFC1200	£1540
1400mm	650	1360–1385	OXPDFC1400	£1595

Supplied with required bracing bar and fixed inline panel glass clamp. This shower enclosure requires a shower tray with a minimum ledge of 60mm.


Side Panel

Width	Adjustment	Code	Price
800mm	775–795	OXPDSPFC0800	£595
900mm	875–895	OXPDSPFC0900	£625

Side panels are supplied with required glass clamp and prefitted closing profile. The moving door must only close against a side panel.



1400mm Pivot Door with Inline Panel in Recess



Complete Your Showering Space

We recommend pairing your OPTIX 10 enclosure with our **25mm Central Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 62

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk



OPTIX 10 Bath Screen with Inline Panel





Toughened Glass
Strong and safe



Protective Finish
Easy to clean




Lifetime Guarantee
Peace of mind

OPTIX 10 Bath Screen with Inline Panel in beautiful Brushed Brass is a perfect bath screen for any bathroom space. Featuring 90° hinge rotation for freedom when bathing or easy cleaning when needed.


With strong 10mm toughened glass panels, 1500mm height, reversible screen options for left or right hand entry and 15mm width adjustment installation is easy.

Bath Screen with Inline Panel

Width	Door Opening	Adjustment	Code	Price
900mm	540	900-915	OXBDFC0900	£595



900mm Bath Screen with Inline Panel



Complete Your Showering Space

For a wide range of complementary brassware, furniture and ceramics, please visit [crosswater.co.uk](https://www.crosswater.co.uk)

900mm Bath screen with Inline Panel, 25mm Central Waste Shower Tray, matching waste and brassware



OPTIX 10 Single Sliding Door





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



1500 x 800mm Single Sliding Door with Side Panel, 25mm Central Waste Shower Tray, matching waste and brassware

OPTIX 10 Single Sliding Door in stylish Brushed Stainless Steel is a perfect enclosure for any bathroom space. Featuring a soft close sliding system and integrated self cleaning rollers for an extremely smooth running system.

With strong 10mm toughened glass panels, 2000mm height, reversible door options for left or right-hand entry and 30mm width adjustment installation is easy. Install in a recess or with a side panel for a corner solution.

Suitable for either a shower tray or tiled floor installation.

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price
1200mm	476	1155-1185	OXSLVC1200	£1450
1400mm	576	1355-1385	OXSLVC1400	£1550
1500mm	626	1455-1485	OXSLVC1500	£1595
1700mm	626	1655-1685	OXSLVC1700	£1795

This shower enclosure requires a shower tray with a minimum ledge of 60mm


Side Panel

Width	Adjustment	Code	Price
800mm	765-790	OXSLSPVC0800	£595
900mm	865-890	OXSLSPVC0900	£675

Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.



1500mm Single Sliding Door in Recess



Complete Your Showering Space

We recommend pairing your OPTIX 10 enclosure with our **25mm Central Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 62

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk



OPTIX 10 **Pivot Door**





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

OPTIX 10 Pivot Door in stylish Brushed Stainless Steel is a perfect enclosure for any modest bathroom space. Featuring a pivot hinge positioned to reduce door overhang so you need less space outside the enclosure.

With strong 10mm toughened glass panels, 2000mm height, reversible door options for left or right-hand entry and 25mm width adjustment installation is easy. Install in a recess or with a side panel for a corner solution.

Suitable for either a shower tray or tiled floor installation.

Pivot Door

Width	Door Opening	Adjustment	Code	Price
800mm	600	760–785	OXWPVC0800	£1075
900mm	800	860–885	OXWPVC0900	£1095

This shower enclosure requires a shower tray with a minimum ledge of 60mm


Side Panel

Width	Adjustment	Code	Price
800mm	770–795	OXWPSPVC0800	£650
900mm	870–895	OXWPSPVC0900	£695

Side panels are supplied with bracing bar, glass clamp and prefitted closing profile. The moving door must only close against a side panel.



900mm Pivot Door in Recess



Complete Your Showering Space

We recommend pairing your OPTIX 10 enclosure with our **25mm Central Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 62

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk

900 x 900mm Pivot Door with Side Panel, 25mm Central Waste Shower Tray, matching waste and brassware



OPTIX 10 Pivot Door with Inline Panel





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

OPTIX 10 Pivot Door with Inline Panel in stylish Brushed Stainless Steel is a perfect enclosure for any bathroom space. Featuring outward opening hinges to maximise door opening without compromising on space in your enclosure.

With strong 10mm toughened glass panels, 2000mm height, reversible door options for left or right-hand entry and 25mm width adjustment installation is easy. Install in a recess or with a side panel for a corner solution.

Suitable for either a shower tray or tiled floor installation.

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code	Price
800mm	500	760–785	OXPDVC0800	£1295
900mm	500	860–885	OXPDVC0900	£1325
1000mm	600	960–985	OXPDVC1000	£1495
1200mm	650	1160–1185	OXPDVC1200	£1540
1400mm	650	1360–1385	OXPDVC1400	£1595

Supplied with required bracing bar and fixed inline panel glass clamp. This shower enclosure requires a shower tray with a minimum ledge of 60mm.


Side Panel

Width	Adjustment	Code	Price
800mm	775–795	OXPDSPVC0800	£595
900mm	875–895	OXPDSPVC0900	£625

Side panels are supplied with required glass clamp and prefitted closing profile. The moving door must only close against a side panel.



1400 mm Pivot Door with Inline Panel in Recess



Complete Your Showering Space

We recommend pairing your OPTIX 10 enclosure with our **25mm Central Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 62

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk

1400x800mm Pivot Door with Inline and Side Panel, 25mm Central Waste Shower Tray, matching waste and brassware



OPTIX 10 Bath Screen with Inline Panel





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

OPTIX 10 Bath Screen with Inline Panel in stylish Brushed Stainless Steel is a perfect bath screen for any bathroom space. Featuring 90° hinge rotation for freedom when bathing or easy cleaning when needed.


With strong 10mm toughened glass panels, 1500mm height, reversible screen options for left or right hand entry and 15mm width adjustment installation is easy.

Bath Screen with Inline Panel

Width	Door Opening	Adjustment	Code	Price
900mm	540	900-915	OXBDVC0900	£595



900mm Bath Screen with Inline Panel



Complete Your Showering Space

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk

900mm Bath Screen with Inline Panel, 25mm Central Waste Shower Tray, matching waste and brassware



OPTIX 10 **Single Sliding Door**





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



1500 x 800mm Single Sliding Door with Side Panel, 25mm Central Waste Shower Tray, matching waste and brassware

OPTIX 10 Single Sliding Door in classic Polished Stainless Steel is a perfect enclosure for any bathroom space. Featuring a soft close sliding system and integrated self cleaning rollers for an extremely smooth running system.

With strong 10mm toughened glass panels, 2000mm height, reversible door options for left or right-hand entry and 30mm width adjustment installation is easy. Install in a recess or with a side panel for a corner solution.

Suitable for either a shower tray or tiled floor installation.

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price
1200mm	476	1155-1185	OXSLSC1200	£1125
1400mm	576	1355-1385	OXSLSC1400	£1195
1500mm	626	1455-1485	OXSLSC1500	£1250
1700mm	626	1655-1685	OXSLSC1700	£1335

This shower enclosure requires a shower tray with a minimum ledge of 60mm

Side Panel

Width	Adjustment	Code	Price
800mm	765-790	OXSLPSC0800	£475
900mm	865-890	OXSLPSC0900	£495


Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.

Optional Accessories

Description	Code	Price
Squeegee with Wall Bracket	SHSQUEEGCP	£30



1500mm Single Sliding Door in Recess



Complete Your Showering Space

We recommend pairing your OPTIX 10 enclosure with our **25mm Central Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 62

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk



OPTIX 10 **Pivot Door**





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



900 x 900mm Pivot Door with Side Panel, 25mm Central Waste Shower Tray, matching waste and brassware

OPTIX 10 Pivot Door in classic Polished Stainless Steel is a perfect enclosure for any modest bathroom space. Featuring a pivot hinge positioned to reduce door overhang so you need less space outside the enclosure.

With strong 10mm toughened glass panels, 2000mm height, reversible door options for left or right-hand entry and 25mm width adjustment installation is easy. Install in a recess or with a side panel for a corner solution.

Suitable for either a shower tray or tiled floor installation.

Pivot Door

Width	Door Opening	Adjustment	Code	Price
800mm	600	760–785	OXWPSC0800	£725
900mm	800	860–885	OXWPSC0900	£750

This shower enclosure requires a shower tray with a minimum ledge of 60mm

Side Panel

Width	Adjustment	Code	Price
800mm	770–795	OXWPSPSC0800	£475
900mm	870–895	OXWPSPSC0900	£495


Side panels are supplied with bracing bar, glass clamp and prefitted closing profile. The moving door must only close against a side panel.

Optional Accessories

Description	Code	Price
Squeegee with Wall Bracket	SHSQUEEGCP	£30



900mm Pivot Door in Recess



Complete Your Showering Space

We recommend pairing your OPTIX 10 enclosure with our **25mm Central Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 62

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk



OPTIX 10 Pivot Door with Inline Panel





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

OPTIX 10 Pivot Door with Inline Panel in classic Polished Stainless Steel is a perfect enclosure for any bathroom space. Featuring outward opening hinges to maximise door opening without compromising on space in your enclosure.

With strong 10mm toughened glass panels, 2000mm height, reversible door options for left or right-hand entry and 25mm width adjustment installation is easy. Install in a recess or with a side panel for a corner solution.

Suitable for either a shower tray or tiled floor installation.

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code	Price
800mm	500	760–785	OXPDSC0800	£950
900mm	500	860–885	OXPDSC0900	£975
1000mm	600	960–985	OXPDSC1000	£1085
1200mm	650	1160–1185	OXPDSC1200	£1195
1400mm	650	1360–1385	OXPDSC1400	£1250

Supplied with required bracing bar and fixed inline panel glass clamp. This shower enclosure requires a shower tray with a minimum ledge of 60mm.

Side Panel

Width	Adjustment	Code	Price
800mm	775–795	OXPDSPSC0800	£450
900mm	875–895	OXPDSPSC0900	£475


Side panels are supplied with required glass clamp and prefitted closing profile. The moving door must only close against a side panel.

Optional Accessories

Description	Code	Price
Squeegee with Wall Bracket	SHSQUEEGCP	£30



1400mm Pivot Door with Inline Panel in Recess



Complete Your Showering Space

We recommend pairing your OPTIX 10 enclosure with our **25mm Central Waste Shower Tray** which includes a high-flow 'Vortex' waste and virtually flat drainage surface which removes water instantly ensuring no pooling. See p 62

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk



OPTIX 10 Bath Screen with Inline Panel





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

OPTIX 10 Bath Screen with Inline Panel in classic Polished Stainless Steel is a perfect bath screen for any bathroom space. Featuring 90° hinge rotation for freedom when bathing or easy cleaning when needed.

With strong 10mm toughened glass panels, 1500mm height, reversible screen options for left or right hand entry and 15mm width adjustment installation is easy.

Single with Inline Panel


Width	Door Opening	Adjustment	Code	Price
900mm	540	900-915	OXBDSC0900	£535

Optional Accessories

Description	Code	Price
Squeegee with Wall Bracket	SHSQUEEGCP	£30



900mm Bath Screen with Inline Panel



Complete Your Showering Space

For a wide range of complementary brassware, furniture and ceramics, please visit crosswater.co.uk

900mm Bath Screen with Inline Panel, 25mm Central Waste Shower Tray, matching waste and brassware





TRAYS

Our recommended high quality stone resin 25mm shower trays that perfectly pair with Gallery 10 and Optix 10. Featuring protective gel coating, high flow vortex waste and virtually flat drainage surface for no pooling when you shower.

The shower trays shown in this brochure are our recommended options, for our full range of shower trays please visit www.crosswater.co.uk



Low Profile
Stone resin tray



Lifetime Guarantee
Peace of mind

LINEAR WASTE


Shower Trays p 60

CENTRAL WASTE

Shower Trays p 62



LINEAR WASTE Shower Trays





Low Profile
Stone resin tray



Lifetime Guarantee
Peace of mind

Our 25mm linear waste shower trays are crafted from natural stone resin with a gel protective easy-clean and repairable coating. Trays are manufactured by hand in the UK from the finest natural materials.

Flush fitting white finish stainless steel waste and cover for ultimate comfort included (upgradable finishes available). The high-flow vortex waste instantly removes water (30 lpm), ensuring no pooling. Fully complies with EN274 European standard for shower flow rates.

Suitable for fitting on concrete or wooden floors. Can be installed flush for a level access solution.

Square



Size	Code	Price
900 x 900 mm	LN000S900	£295

Rectangular



Size	Code	Price
760 x 1200mm	LNR0761200	£325
800 x 1000mm	LN0R81000	£309
800 x 1100mm	LN0R81100	£325
800 x 1200mm	LN0R81200	£339
800 x 1400mm	LN0R81400	£495
800 x 1500mm	LN0R81500	£499
800 x 1600mm	LN0R81600	£520
800 x 1700mm	LN0R81700	£539
900 x 1100mm	LN0R91100	£335
900 x 1200mm	LN0R91200	£349
900 x 1400mm	LN0R91400	£499
900 x 1500mm	LN0R91500	£505
900 x 1700mm	LN0R91700	£549


Optional Waste Cover Upgrade

Colour	Code	Price
Polished Stainless Steel	LNGRID_C	£50
Matt Black	LNGRID_MB	£50
Brushed Brass*	LNGRID_F	£105
Brushed Stainless Steel	LNGRID_V	£105

*Brushed brass covers have a protective lacquer finish.



CENTRAL WASTE Shower Trays





Low Profile
Stone resin tray



Lifetime Guarantee
Peace of mind

Our 25mm central waste shower trays are crafted from natural stone resin with a gel protective easy-clean and repairable coating. Trays are manufactured by hand in the UK from the finest natural materials.

Flush fitting, load bearing stainless steel central waste and cover for ultimate comfort included (upgradable finishes available). The high-flow vortex waste instantly removes water (30 lpm), ensuring no pooling. Fully complies with EN274 European standard for shower flow rates.

Suitable for fitting on concrete or wooden floors. Can be installed flush for a level access solution.

Square



Size	Code	Price
800 x 800mm	SL000S800	£249
900 x 900mm	SL000S900	£259

Rectangular



Size	Code	Price
700 x 1200mm	SL0R7001200	£275
700 x 1700mm	SL0R7001700	£449
760 x 1000mm	SL0R71000	£269
760 x 1200mm	SL0R71200	£279
760 x 1400mm	SL0R71400	£419
760 x 1500mm	SL0R71500	£429
760 x 1600mm	SL0R71600	£439
760 x 1700mm	SL0R71700	£455
800 x 1000mm	SL0R81000	£259
800 x 1100mm	SL0R81100	£269
800 x 1200mm	SL0R81200	£279
800 x 1400mm	SL0R81400	£419
800 x 1500mm	SL0R81500	£429
800 x 1600mm	SL0R81600	£439
800 x 1700mm	SL0R81700	£455
900 x 1000mm	SL0R91000	£259
900 x 1100mm	SL0R91100	£269
900 x 1200mm	SL0R91200	£289
900 x 1400mm	SL0R91400	£419
900 x 1500mm	SL0R91500	£429
900 x 1600mm	SL0R91600	£439
900 x 1700mm	SL0R91700	£455

Optional Waste Cover Upgrade

Colour	Code	Price
Polished Stainless Steel	STGRID_C	£40
Matt Black	STGRID_MB	£40
Brushed Brass*	STGRID_F	£95

*Brushed brass covers have a protective lacquer finish.



Experience the Products

Satisfy your senses by exploring the quality and design of our products through touch and sight in relaxed surroundings and in the presence of helpful professionals who can help make your dream bathroom a reality. To find your local retailer visit crosswater.co.uk

Lifetime Guarantee

The Crosswater Lifetime guarantee is subject to online registration and represents the perceived lifetime of the product, which is 25 years. To register and activate your guarantee or for full details of all Crosswater guarantees, please visit www.crosswater.co.uk

Crosswater guarantees do not affect your statutory rights.

Product Guidelines

Product Compatibility

While the majority of Crosswater products are compatible, please take care when selecting products before ordering to avoid installation issues.

Trays must be plumbed and level, walls should be tiled down to the tray and sealed before doors or frames are fitted.

Dimensions are designed for tiled in trays, not unfitted tray sizes.

All doors and enclosures must be fitted to a tiled surface, not tiled up to the inside edge of the door.

Enclosures must not be completely sealed on the inside.

Due to the weight of the shower doors, you must ensure that the walls to which they are fixed are of suitable construction to support the enclosure.

Due to the nature of wetroom/walk in panel products, water integrity cannot be guaranteed. Please consult your installer.

All heights printed for shower doors and bath screens are from the top of the shower tray or bath.

Installation

Products must be installed according to our installation instructions, please visit www.crosswater.co.uk for full details.

Cleaning

To maintain the look and performance of your Crosswater shower enclosure, you should:

Remove any residual water after every use.

Wipe clean the frame and glass elements with a soft, non-abrasive, colourfast cloth after every use.

Never use an abrasive cloth or scouring pad which could damage the product.

Clean the glass gently with warm soapy water and never use any aggressive fluids or strong household cleaning agents which could damage the product.

Not allow limescale to build-up on any element, particularly in harder water areas.

Quality



All Crosswater showering products are CE / UKCA marked and are manufactured to the following standards:

- BS EN 14428 for shower enclosures.
- BS EN 12150 for toughened glass.
- BS EN 14527 for shower trays.

A man with a beard and dark hair, wearing a dark t-shirt and light-colored pants, is looking up at a tree branch. He is standing in a forest with many trees in the background. The lighting is soft and natural, suggesting a sunny day. The overall mood is peaceful and inspirational.

Inspirational Expertise

Embark on your journey of new bathroom discovery with the support of our specialist bathroom retailers. Working with you, our trusted specialists can provide full 3D plans to animate your bathroom design, helping you to create your perfect space. From product selection to installation and aftercare, providing complete support throughout your journey is paramount to our retailers, delivering total peace of mind.

To find your local retailer visit crosswater.co.uk



crosswater[®]

Lake View House, Rennie Drive, Dartford, Kent DA1 5FU

crosswater.co.uk



Part of the Bathroom Brands Group

