



crosswater[®]

Shower Enclosures, Trays & Baths

July 2024



The Crosswater Advantage

As bathrooms have evolved into more experiential spaces for relaxation & revitalisation, Crosswater has curated a stunning mix of colours, textures and materials across a broad range of bathroom elements, allowing you to design your own perfect bathroom space.

This is the **Crosswater advantage**.

crosswater[®]

Shower Enclosures

10mm Enclosures

GALLERY 10	8
OPTIX 10	28

8mm Enclosures

NEW ASURA 8	68
GALLERY 8	96
DESIGN 8	112

6mm Enclosures

CLEAR 6	122
KAI 6	142

Shower Trays

25mm Trays

CREO Engineered Stone	152
VITO Engineered Stone	154

45mm Trays

Edge Waste ABS Capped Stone Resin	156
-----------------------------------	-----

35mm Trays

Acrylic Anti Slip	158
Acrylic	160

Bath Screens

10mm Bath Screens

OPTIX 10	162
----------	-----

8mm Bath Screens

NEW ASURA 8	168
DESIGN 8	169

6mm Bath Screens

CLEAR 6	172
KAI 6	176

Baths

Freestanding Baths

NEW CARNE	180
NEW CERUS	181
MPRO	182

Back to Wall Baths

NEW CURSA	183
ARTIST	184
SERENE	185

Single Ended Baths

KAI S	186
FLOW	187

Double Ended Baths

KAI X	188
VERGE	189

Essentials

Bath Wastes & Fillers

NEW Bath Wastes	190
Bath Fillers	190

Accessories

NEW Niches	191
NEW Grab Bars	191





Shower Heads

- 14 ranges
- 15 finishes
- 7 textures

Shower Enclosures

- 7 ranges
- 6 finishes
- 3 textures

Shower Valves

- 19 ranges
- 15 finishes
- 7 textures

Radiators

- 6 ranges
- 5 finishes

Shower Trays

- 5 ranges
- 3 tray depths
- 4 textures

In contrast to many bathroom companies who specialise in a specific area, Crosswater can offer products for your whole bathroom, adding the ability to coordinate these elements using material colour linking to create a truly personal bathroom space.

More of the **Crosswater advantage**.



Mirrors & Cabinets

- 11 ranges
- 6 shapes

Lights

- 3 ranges
- 6 finishes
- 3 shapes

Basin Taps

- 24 ranges
- 15 finishes
- 7 textures

Basins & Worktops

- 29 ranges
- 15 finishes
- 7 textures

Accessories

- 11 ranges
- 9 finishes
- 6 textures

Furniture

- 10 ranges
- 19 finishes
- 8 textures

Toilets

- 4 ranges
- 2 finishes



What's Your Style?

Whatever your style preference, Crosswater offers a wide range of shower enclosures, bath screens and shower trays with complementary brassware, ceramics, furniture and accessories to help you create your own perfect bathroom space.




GALLERY 10
Walk ins p. 8



OPTIX 10
Shower enclosures p. 28



ASURA 8
Shower enclosures p. 68



GALLERY 8
Walk ins p. 96



DESIGN 8
Shower enclosures & walk ins p. 112



CLEAR 6
Shower enclosures p. 122



KAI 6
Shower enclosures p. 142



SHOWER TRAYS
25mm, 35mm & 45mm p. 152



OPTIX 10
Bath screens p. 162



ASURA 8
Bath screens p. 168



DESIGN 8
Bath screens p. 169



CLEAR 6
Bath screens p. 172



KAI 6
Bath screens p. 176



ACCESSORIES
Niches & Grab Bars p. 191



Crosswater Clear Treated Glass




Untreated Glass

The Ultimate Glass Protection




Supplied as standard.

Crosswater Clear is a colourless surface treatment applied to all shower and bath panels. The coating is perfectly flat and invisible and works by creating a surface that helps prevent limescale, soap/shampoo build-up, easier to clean and sparkling glass every day.



Untreated Glass

Untreated glass can quickly and easily suffer permanent bonding of limescale and mineral salts onto its surface, which can cause staining and damage, with water spots being difficult, if not impossible, to remove despite regular cleaning.



Crosswater Clear Treated Glass

Helping to prevent build up and making the glass easier to clean, Crosswater Clear allows soils and liquids to 'slide off' the treated surface which prevents limescale and other dirt from building up to make cleaning a quicker and easier process.







GALLERY 10

Expertly curated, our luxury GALLERY 10 collection offers 10mm toughened safety glass, profiles and stabilising options in an assortment of indulgent colours with diverse layout options, giving you complete design flexibility to create your personalised showering solution.

The GALLERY 10 range is suitable for either a shower tray or tiled floor installation.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

BRUSHED BRONZE

Walk In p 16

SLATE

Walk In p 18

BRUSHED BRASS

Walk In p 20

BRUSHED STAINLESS STEEL

Walk In p 22

POLISHED STAINLESS STEEL

Walk In p 24

MATT BLACK

Walk In p 26




GALLERY 10

Product Highlights

1. Slimline wall profile with concealed fixings and cover cap
2. Glass to glass corner seal for joining glass panels
3. Fixed return panel bracket for joining glass panels
4. Fixed panels with T bracing bar
5. 180° hinged deflector panel
6. Glass to ceiling bracing bar
7. Glass to wall bracing bar






GALLERY 10 Configurations


Once you have identified your space you can create your personalised showering solution; with our flexible modular glass panels, profiles and stabilising fixings the layout options are almost endless.

When choosing your configuration, we recommend you allow 500mm minimum entry space.




Recess

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall, Ceiling or Angled)




Recess with Deflector

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall or Angled)
- 1 x Hinged or Fixed Deflector




Recess with Double Panel

- 2 x Glass Panels
- 2 x Wall Profiles
- 2 x Bracing Bars (Wall, Ceiling or Angled)




Open Ended

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall, Ceiling or Angled)




Open Ended with Deflector

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall or Angled)
- 1 x Hinged or Fixed Deflector




Corner with T Bracing Bar

- 2 x Glass Panels (up to 1000mm max.)
- 2 x Wall Profiles
- 1 x T Bracing Bar




Corner with T Bracing Bar & Deflector

- 2 x Glass Panels (up to 1000mm max.)
- 2 x Wall Profiles
- 1 x T Bracing Bar
- 1 x Hinged or Fixed Deflector




Corner

- 1 x Glass Panel
- 1 x Glass Panel (up to 500mm max.)
- 2 x Wall Profiles
- 1 x Bracing Bar (Wall, Ceiling or Angled)




Corner with Deflector

- 1 x Glass Panel
- 1 x Glass Panel (up to 500mm max.)
- 2 x Wall Profiles
- 1 x Bracing Bar (Wall or Angled)
- 1 x Hinged or Fixed Deflector




Walk Through

- 1 x Glass Panel
- 2 x Glass to Wall Bracing Bars




Walk Through with Deflectors

- 1 x Glass Panel
- 2 x Glass to Wall Bracing Bars
- 2 x Hinged or Fixed Deflectors




Glass Corner with T Bracing Bar

- 2 x Glass Panels (up to 1000mm max.)
- 1 x Wall Profile
- 1 x T Bracing Bar
- 1 x Glass to Glass Corner Seal




Glass Corner with Deflector

- 2 x Glass Panels (up to 1000mm max.)
- 1 x Wall Profile
- 1 x T Bracing Bar
- 1 x Glass to Glass Corner Seal
- 1 x Hinged or Fixed Deflector




Glass Corner with Angled Bracing Bar

- 2 x Glass Panels
- 1 x Wall Profile
- 1 x Angled Bracing Bar
- 1 x Glass to Wall Bracing Bar
- 1 x Glass to Glass Corner Seal




Glass Corner with Deflector

- 2 x Glass Panels
- 1 x Wall Profile
- 1 x Angled Bracing Bar
- 1 x Glass to Wall Bracing Bar
- 1 x Glass to Glass Corner Seal
- 1 x Hinged or Fixed Deflector



Three Sided

- 3 x Glass Panels
- 2 x Wall Profiles
- 1 x Angled Bracing Bar
- 1 x T Bracing Bar or 2 x Ceiling Bracing Bars
- 1 x Glass to Glass Corner Seal




Three Sided with Deflector

- 3 x Glass Panels
- 2 x Wall Profiles
- 1 x Angled Bracing Bar
- 1 x T Bracing Bar or 2 x Ceiling Bracing Bars
- 1 x Glass to Glass Corner Seal
- 1 x Hinged or Fixed Deflector

Deflectors

If you've decided to opt for a configuration with a deflector we have 2 options to choose from - 180° hinged or fixed. Each type requires different fittings, details of these are listed below.


We wouldn't recommend installing a deflector panel if you have chosen a glass to ceiling bracing bar.



180° Hinged Deflector Panel

Available in 300mm, our hinged panel rotates through 180° for easier access. The colour matching hinges and clear seal give your walk in a seamless appearance.

- 1 x Glass Panel for Hinged Deflector
- 1 x Deflector Panel 180° Hinges (pair)



Fixed Deflector Panel

Available in 300mm or 400mm, for spaces where you prefer the panel not to move. The colour matching glass to glass brackets and clear seal give a luxury appearance.

- 1 x Glass Panel (up to 400mm max.)
- 1 x Glass to Glass Brackets (pair)
- 1 x Glass to Glass Seal

Additional Design Flexibility

The configurations shown are the most typical options; if you require something different please talk to your local bathroom specialist.

For further installation information or to find your local retailer visit crosswater.co.uk

GALLERY 10 Personalising Your Space

Consider Your Stabilising Fixings

To enable you to create your personalised showering space we have a range of stabilising fixings available. In all cases you should ensure a secure fixing. We do not recommend fixing to plasterboard alone, please consult your local installer for guidance.



Glass to Wall Bracing Bar

1200mm long. Can support panels up to 1400mm.



Glass to Ceiling Bracing Bar

600mm long. Can support panels up to 1000mm.



Angled Glass to Wall Bracing Bar

941mm long. Can support panels up to 1000mm.



T Bracing Bar

1200 x 1200mm. Can support panels up to 1000mm.



Wall Profile with 15mm Adjustment

Can support panels up to 500mm without a bracing bar.



Glass to Glass Corner Seal


For joining two fixed glass panels.

Not sure what you need?

Depending on the configuration you select you may need to use a combination of stabilising fixings. If you need further guidance please visit crosswater.co.uk or speak to your local installer.

Reduce Splashing

Add on a 180° hinged or fixed deflector panel to create a personalised shower space with extra splash protection; giving the pleasure and luxury appearance of a walk-in shower in even the most modest of bathroom spaces.



180° Hinged Deflector Panels

Just as they sound a hinged deflector panel allows the glass to move, enabling greater access to the shower area then protect against over-spray when the water is running.

Fixed Deflector Panels

Fixed deflector panels offer the same design flexibility particularly in smaller spaces. These can be installed using our glass to glass brackets and a glass panel up to 400mm.

Choose Your Perfect Shower Base

Our Gallery 10 Walk In collection can be installed with a shower tray or in a full wet room for full design freedom.



Shower tray



Wet room

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom. For our full range please visit crosswater.co.uk



Shower Heads



Shower Valves



1700 x 800mm Corner with T Bracing Bar

GALLERY 10 Brushed Bronze

Toughened Glass Panels

Width	Code	Price
255mm	GR030010CF_V2	£165
355mm	GR040010CF_V2	£190
455mm	GR050010CF_V2	£230
555mm	GR060010CF_V2	£255
655mm	GR070010CF_V2	£295
715mm	GR076010CF_V2	£315
755mm	GR080010CF_V2	£325
855mm	GR090010CF_V2	£360
955mm	GR100010CF_V2	£390
1055mm	GR110010CF_V2	£425
1155mm	GR120010CF_V2	£455
1355mm	GR140010CF_V2	£490

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code	Price
Wall Profile with Seal	2000mm	15mm	GRPROFILEBZ	£360

Stabilising Fixings

Part	Size	Code	Price
Glass to Wall Bracing Bar	1200mm	GRBRACEBZ	£164
T Bracing Bar	1200 x 1200mm	GRTBRACEBZ	£280
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEBZ	£140
Angled Bracing Bar	941mm	GRANGLEBRACEBZ	£188
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£20

Hinged Deflector Panel Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEBZ	£265
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£128

Fixed Deflector Panel Fittings

Part	Size	Code	Price
Fixed Deflector Glass	300mm	GR030010CF_V2	£165
Fixed Deflector Glass	400mm	GR040010CF_V2	£190
Glass to Glass Brackets (Pair)	-	GRBRACKBZ	£120
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£16

**Recommended when using glass to glass brackets

Optional Fittings

Part	Size	Code	Price
Glass Bottom Seal	1400 x 10mm	GRSEAL1400X10	£10

Must be cut to length on installation

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed bronze finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.





1200 x 900mm Corner with Glass to Ceiling Bracing Bar

GALLERY 10 Slate

Toughened Glass Panels

Width	Code	Price
255mm	GR030010CF_V2	£165
355mm	GR040010CF_V2	£190
455mm	GR050010CF_V2	£230
555mm	GR060010CF_V2	£255
655mm	GR070010CF_V2	£295
715mm	GR076010CF_V2	£315
755mm	GR080010CF_V2	£325
855mm	GR090010CF_V2	£360
955mm	GR100010CF_V2	£390
1055mm	GR110010CF_V2	£425
1155mm	GR120010CF_V2	£455
1355mm	GR140010CF_V2	£490

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code	Price
Wall Profile with Seal	2000mm	15mm	GRPROFILET	£335

Stabilising Fixings

Part	Size	Code	Price
Glass to Wall Bracing Bar	1200mm	GRBRACET	£151
T Bracing Bar	1200 x 1200mm	GRTBRACET	£255
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACET	£127
Angled Bracing Bar	941mm	GRANGLEBRACET	£175
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£20

Hinged Deflector Panel Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGET	£207
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£128

Fixed Deflector Panel Fittings

Part	Size	Code	Price
Fixed Deflector Glass	300mm	GR030010CF_V2	£165
Fixed Deflector Glass	400mm	GR040010CF_V2	£190
Glass to Glass Brackets (Pair)	-	GRBRACKT	£108
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£16

**Recommended when using glass to glass brackets

Optional Fittings

Part	Size	Code	Price
Glass Bottom Seal	1400 x 10mm	GRSEAL1400X10	£10

Must be cut to length on installation

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



- Diverse layout options (see page 12)
- 2000mm enclosure height
- Slate finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind



1400 x 800mm Walk Through with Fixed Deflector Panels

GALLERY 10 Brushed Brass

Toughened Glass Panels

Width	Code	Price
255mm	GR030010CF_V2	£165
355mm	GR040010CF_V2	£190
455mm	GR050010CF_V2	£230
555mm	GR060010CF_V2	£255
655mm	GR070010CF_V2	£295
715mm	GR076010CF_V2	£315
755mm	GR080010CF_V2	£325
855mm	GR090010CF_V2	£360
955mm	GR100010CF_V2	£390
1055mm	GR110010CF_V2	£425
1155mm	GR120010CF_V2	£455
1355mm	GR140010CF_V2	£490

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code	Price
Wall Profile with Seal	2000mm	15mm	GRPROFILEF	£360

Stabilising Fixings

Part	Size	Code	Price
Glass to Wall Bracing Bar	1200mm	GRBRACEF	£164
T Bracing Bar	1200 x 1200mm	GRTBRACEF	£280
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEF	£140
Angled Bracing Bar	941mm	GRANGLEBRACEF	£188
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£20

Hinged Deflector Panel Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEF	£265
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£128

Fixed Deflector Panel Fittings

Part	Size	Code	Price
Fixed Deflector Glass	300mm	GR030010CF_V2	£165
Fixed Deflector Glass	400mm	GR040010CF_V2	£190
Glass to Glass Brackets (Pair)	-	GRBRACKF	£120
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£16

**Recommended when using glass to glass brackets

Optional Fittings

Part	Size	Code	Price
Glass Bottom Seal	1400 x 10mm	GRSEAL1400X10	£10

Must be cut to length on installation

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



1400 x 800mm Walk Through with Fixed Deflector Panels

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed brass finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind



1700 x 800mm Corner with T Bracing Bar

GALLERY 10 Brushed Stainless Steel

Toughened Glass Panels

Width	Code	Price
255mm	GR030010CF_V2	£165
355mm	GR040010CF_V2	£190
455mm	GR050010CF_V2	£230
555mm	GR060010CF_V2	£255
655mm	GR070010CF_V2	£295
715mm	GR076010CF_V2	£315
755mm	GR080010CF_V2	£325
855mm	GR090010CF_V2	£360
955mm	GR100010CF_V2	£390
1055mm	GR110010CF_V2	£425
1155mm	GR120010CF_V2	£455
1355mm	GR140010CF_V2	£490

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code	Price
Wall Profile with Seal	2000mm	15mm	GRPROFILEV	£360

Stabilising Fixings

Part	Size	Code	Price
Glass to Wall Bracing Bar	1200mm	GRBRACEV	£164
T Bracing Bar	1200 x 1200mm	GRTBRACEV	£280
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEV	£140
Angled Bracing Bar	941mm	GRANGLEBRACEV	£188
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£20

Hinged Deflector Panel Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEV	£228
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£128

Fixed Deflector Panel Fittings

Part	Size	Code	Price
Fixed Deflector Glass	300mm	GR030010CF_V2	£165
Fixed Deflector Glass	400mm	GR040010CF_V2	£190
Glass to Glass Brackets (Pair)	-	GRBRACKV	£120
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£16

**Recommended when using glass to glass brackets

Optional Fittings

Part	Size	Code	Price
Glass Bottom Seal	1400 x 10mm	GRSEAL1400X10	£10

Must be cut to length on installation

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.

23



1700 x 800mm Corner with T Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed stainless steel finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind



1200 x 800mm Recess with Glass to Wall Bracing Bar and Hinged Deflector Panel

GALLERY 10 Polished Stainless Steel

Toughened Glass Panels

Width	Code	Price
255mm	GR030010CF_V2	£165
355mm	GR040010CF_V2	£190
455mm	GR050010CF_V2	£230
555mm	GR060010CF_V2	£255
655mm	GR070010CF_V2	£295
715mm	GR076010CF_V2	£315
755mm	GR080010CF_V2	£325
855mm	GR090010CF_V2	£360
955mm	GR100010CF_V2	£390
1055mm	GR110010CF_V2	£425
1155mm	GR120010CF_V2	£455
1355mm	GR140010CF_V2	£490

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code	Price
Wall Profile with Seal	2000mm	15mm	GRPROFILEPSS	£225

Stabilising Fixings

Part	Size	Code	Price
Glass to Wall Bracing Bar	1200mm	GRBRACEPSS	£100
T Bracing Bar	1200 x 1200mm	GRTBRACEPSS	£176
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEPSS	£92
Angled Bracing Bar	941mm	GRANGLEBRACEPSS	£115
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£20

Hinged Deflector Panel Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEPSS	£195
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£128

Fixed Deflector Panel Fittings

Part	Size	Code	Price
Fixed Deflector Glass	300mm	GR030010CF_V2	£165
Fixed Deflector Glass	400mm	GR040010CF_V2	£190
Glass to Glass Brackets (Pair)	-	GRBRACKPSS	£92
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£16

**Recommended when using glass to glass brackets

Optional Fittings

Part	Size	Code	Price
Glass Bottom Seal**	1400 x 10mm	GRSEAL1400X10	£10
Squeegee with Wall Bracket	-	SHSQUEEGCP	£45

**Must be cut to length on installation

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.

25



1200 x 800mm Recess with Hinged Deflector Panel

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Polished 304 grade stainless steel finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind





1400 x 900mm Glass Corner with T Bracing Bar

GALLERY 10 Matt Black

Toughened Glass Panels

Width	Code	Price
255mm	GR030010CF_V2	£165
355mm	GR040010CF_V2	£190
455mm	GR050010CF_V2	£230
555mm	GR060010CF_V2	£255
655mm	GR070010CF_V2	£295
715mm	GR076010CF_V2	£315
755mm	GR080010CF_V2	£325
855mm	GR090010CF_V2	£360
955mm	GR100010CF_V2	£390
1055mm	GR110010CF_V2	£425
1155mm	GR120010CF_V2	£455
1355mm	GR140010CF_V2	£490

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code	Price
Wall Profile with Seal	2000mm	15mm	GRPROFILEMB	£225

Stabilising Fixings

Part	Size	Code	Price
Glass to Wall Bracing Bar	1200mm	GRBRACEMB	£104
T Bracing Bar	1200 x 1200mm	GRTBRACEMB	£176
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEMB	£96
Angled Bracing Bar	941mm	GRANGLEBRACEMB	£120
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£20

Hinged Deflector Panel Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEMB	£172
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£128

Fixed Deflector Panel Fittings

Part	Size	Code	Price
Fixed Deflector Glass	300mm	GR030010CF_V2	£165
Fixed Deflector Glass	400mm	GR040010CF_V2	£190
Glass to Glass Brackets (Pair)	-	GRBRACKMB	£92
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£16

**Recommended when using glass to glass brackets

Optional Fittings

Part	Size	Code	Price
Glass Bottom Seal	1400 x 10mm	GRSEAL1400X10	£10

Must be cut to length on installation

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.

27



1400 x 900mm Glass Corner with T Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Matt black finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind



OPTIX 10

Enhancing luxury within modern and traditional settings, our OPTIX 10 shower enclosures feature 10mm toughened glass for remarkable quality and unparalleled performance. Available in five enclosure types and striking colours, combine function and style effortlessly within your dream bathroom scheme.

The OPTIX 10 range is suitable for either a shower tray or tiled floor installation.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

BRUSHED BRONZE

Sliding Doors p 32

Pivot Doors p 34

Quadrant Enclosures p 38

SLATE

Sliding Doors p 40

Pivot Doors p 42

Quadrant Enclosures p 46

BRUSHED BRASS

Sliding Doors p 48

Pivot Doors p 50

Quadrant Enclosures p 54

BRUSHED STAINLESS STEEL

Sliding Doors p 56

Pivot Doors p 58

Quadrant Enclosures p 60

POLISHED STAINLESS STEEL

Sliding Doors p 62

Pivot Doors p 64



OPTIX 10

Product Highlights

1. Wall profiles include concealed fixings, squeeze gasket seals for quick in profile adjustment and a top cover cap
2. Ultra-strong 304 grade stainless steel bracing bars finished to match for pivot doors with inline panels
3. Pivot doors with inline panels feature on glass adjustment and flush-fit solid brass hinges for easy cleaning
4. Sliding doors and quadrant enclosures feature soft close, cushioned movement on open and close
5. Concealed, fully adjustable top slider system for smooth soft closing
6. Beautifully designed 304 grade stainless steel double handle for easy opening and closing from inside or out
7. Flush-fit pivot door with inline panel solid brass hinge for easy cleaning and angled no-drip seal
8. Adjustable, self cleaning rollers feature a concealed brush to ensure the smoothest open/close sliding door



1





1400 x 800mm Single Sliding Door with Side Panel

Door Opening

OPTIX 10 Single Sliding Door

BRUSHED BRONZE



1400mm Single Sliding Door in Recess

- 2000mm enclosure height
- Brushed bronze PVD finish
- Colour matched door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door with Soft Close

Width	Door Opening	Adjustment	Code	Price
1200mm	476	1155-1185 (1170-1185**)	OXSLBZC1200	£1930
1400mm	576	1355-1385 (1370-1385**)	OXSLBZC1400	£2066
1500mm	626	1455-1485 (1470-1485**)	OXSLBZC1500	£2126
1700mm	626	1655-1685 (1670-1685**)	OXSLBZC1700	£2390

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel.*

Side Panel

Width	Adjustment	Code	Price
800mm	765-790	OXSLSPBZC0800	£729
900mm	865-890	OXSLSPBZC0900	£829

Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.


Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLBZ	£125
Hammered Handle	AUHAMMEREDBZ	£120 NEW
Fluted Handle	AUFLUTEDBZ	£100 NEW
Sleek Handle	AUSLEEBZ	£40 NEW

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152


This enclosure requires a shower tray with a minimum ledge of 60mm



Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



Door Opening

900 x 900mm Pivot Door with Side Panel

OPTIX 10 Pivot Door

BRUSHED BRONZE



900mm Pivot Door in Recess

- 2000mm enclosure height
- Brushed bronze PVD finish
- Colour matched door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code	Price
800mm	600	760-785 (770-795**)	OXWPBZC0800	£1315
900mm	800	860-885 (870-895**)	OXWPBZC0900	£1339

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel*

Side Panel

Width	Adjustment	Code	Price
800mm	770-795	OXWSPBZC0800	£795
900mm	870-895	OXWSPBZC0900	£849

Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.


Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLBZ	£125
Hammered Handle	AUHAMMEREDBZ	£120 NEW
Fluted Handle	AUFLUTEDBZ	£100 NEW
Sleek Handle	AUSLEEKBZ	£40 NEW

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152


This enclosure requires a shower tray with a minimum ledge of 60mm



Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



1200 x 800mm Pivot Door with Inline Panel and Side Panel

Door Opening

OPTIX 10 Pivot Door with Inline Panel

BRUSHED BRONZE



1200mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Brushed bronze PVD finish
- Colour matched door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code	Price
1000mm	600	960-985 (970-995**)	OXPDZC1000	£1985
1200mm	650	1160-1185 (1170-1195**)	OXPDZC1200	£2050
1400mm	650	1360-1385 (1370-1395**)	OXPDZC1400	£2125

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel

Side Panel

Width	Adjustment	Code	Price
800mm	775-795	OXPDSPBZC0800	£729
900mm	875-895	OXPDSPBZC0900	£765

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.


Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLBZ	£125
Hammered Handle	AUHAMMEREDBZ	£120 NEW
Fluted Handle	AUFLUTEDBZ	£100 NEW
Sleek Handle	AUSLEEKBZ	£40 NEW

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm



Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.


*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.






900mm Right Handed Quadrant Single Door



Door Opening LH



Door Opening RH

OPTIX 10 Quadrant Enclosures

BRUSHED BRONZE



1200 x 900mm Left Handed Offset Quadrant Single Door

- 2000mm enclosure height
- Brushed bronze PVD finish
- Colour matched door seals
- Doors available with left or right hand entry
- Smooth soft close door
- Quick release stainless steel rollers
- 20mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
900mm (R)	446	860-880	OXQSBZC0900_R	£2490
900mm (L)	446	860-880	OXQSBZC0900_L	£2490

This enclosure requires a shower tray with a minimum ledge of 60mm

Recommended Tray

Size	Code	Price	Page
900mm Quad	CRQ900X900W	£270	152
900mm Quad	CRQ900X900W	£270	152


Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
1000 x 800mm (R)	403	770-790/960-980	OXQSBZC10X8_R	£2625
1000 x 800mm (L)	403	770-790/960-980	OXQSBZC10X8_L	£2625
1200 x 800mm (R)	403	770-790/1170-1190	OXQSBZC12X8_R	£2850
1200 x 800mm (L)	403	770-790/1170-1190	OXQSBZC12X8_L	£2850
1200 x 900mm (R)	446	870-890/1170-1190	OXQSBZC12X9_R	£2985
1200 x 900mm (L)	446	870-890/1170-1190	OXQSBZC12X9_L	£2985

This enclosure requires a shower tray with a minimum ledge of 60mm

Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLBZ	£125
Hammered Handle	AUHAMMEREDBZ	£120 NEW
Fluted Handle	AUFLUTEDBZ	£100 NEW
Sleek Handle	AUSLEEBZ	£40 NEW




Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



1400 x 800mm Single Sliding Door with Side Panel



Door Opening

OPTIX 10 Single Sliding Door

SLATE



1400mm Single Sliding Door in Recess

- 2000mm enclosure height
- Slate PVD finish
- Colour matched door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door with Soft Close

Width	Door Opening	Adjustment	Code	Price
1200mm	476	1155-1185 (1170-1185**)	OXSLTC1200	£1930
1400mm	576	1355-1385 (1370-1385**)	OXSLTC1400	£2066
1500mm	626	1455-1485 (1470-1485**)	OXSLTC1500	£2126
1700mm	626	1655-1685 (1670-1685**)	OXSLTC1700	£2390

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel.*

Side Panel

Width	Adjustment	Code	Price
800mm	765-790	OXSLSPTC0800	£795
900mm	865-890	OXSLSPTC0900	£895

Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.


Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLT	£125
Hammered Handle	AUHAMMEREDT	£120 NEW
Fluted Handle	AUFLUTEDT	£100 NEW
Sleek Handle	AUSLEEKT	£40 NEW

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm




Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



900 x 900mm Pivot Door with Side Panel



Door Opening

OPTIX 10 Pivot Door

SLATE



900mm Pivot Door in Recess

- 2000mm enclosure height
- Slate PVD finish
- Colour matched door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code	Price
800mm	600	760-785 (770-795**)	OXWPTC0800	£1430
900mm	800	860-885 (870-895**)	OXWPTC0900	£1455

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel*

Side Panel

Width	Adjustment	Code	Price
800mm	770-795	OXWPSPTC0800	£865
900mm	870-895	OXWPSPTC0900	£925

Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.


Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLT	£125
Hammered Handle	AUHAMMEREDT	£120 NEW
Fluted Handle	AUFLUTEDT	£100 NEW
Sleek Handle	AUSLEEKT	£40 NEW

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm




Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.





1200 x 800mm Pivot Door with Inline Panel and Side Panel

Door Opening

OPTIX 10 Pivot Door with Inline Panel

SLATE



1200mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Slate PVD finish
- Colour matched door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code	Price
1000mm	600	960-985 (970-995**)	OXPDTC1000	£1985
1200mm	650	1160-1185 (1170-1195**)	OXPDTC1200	£2050
1400mm	650	1360-1385 (1370-1395**)	OXPDTC1400	£2125

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel

Side Panel

Width	Adjustment	Code	Price
800mm	775-795	OXPDSPTC0800	£795
900mm	875-895	OXPDSPTC0900	£835

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.


Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLT	£125
Hammered Handle	AUHAMMEREDT	£120 NEW
Fluted Handle	AUFLUTEDT	£100 NEW
Sleek Handle	AUSLEEKT	£40 NEW

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm




Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.


*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.





Door Opening LH



Door Opening RH

900mm Right Handed Quadrant Single Door

OPTIX 10 Quadrant Enclosures

SLATE



1200 x 900mm Left Handed Offset Quadrant Single Door

- 2000mm enclosure height
- Slate PVD finish
- Colour matched door seals
- Doors available with left or right hand entry
- Smooth soft close door
- Quick release stainless steel rollers
- 20mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
900mm (R)	446	870-890	OXQSSTC0900_R	£2490
900mm (L)	446	870-890	OXQSSTC0900_L	£2490

This enclosure requires a shower tray with a minimum ledge of 60mm

Recommended Tray

Size	Code	Price	Page
900mm Quad	CRQ900X900W	£270	152
900mm Quad	CRQ900X900W	£270	152

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
1000 x 800mm (R)	403	770-790/960-980	OXQSSTC10X8_R	£2625
1000 x 800mm (L)	403	770-790/960-980	OXQSSTC10X8_L	£2625
1200 x 800mm (R)	403	770-790/1170-1190	OXQSSTC12X8_R	£2850
1200 x 800mm (L)	403	770-790/1170-1190	OXQSSTC12X8_L	£2850
1200 x 900mm (R)	446	870-890/1170-1190	OXQSSTC12X9_R	£2985
1200 x 900mm (L)	446	870-890/1170-1190	OXQSSTC12X9_L	£2985


This enclosure requires a shower tray with a minimum ledge of 60mm

Recommended Tray

Size	Code	Price
800 x 1000mm (R)	CRQ800X1000RHW	£390
800 x 1000mm (L)	CRQ800X1000LHW	£390
800 x 1200mm (R)	CRQ800X1200RHW	£410
800 x 1200mm (L)	CRQ800X1200LHW	£410
900 x 1200mm (R)	CRQ900X1200RHW	£470
900 x 1200mm (L)	CRQ900X1200LHW	£470

Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLT	£125
Hammered Handle	AUHAMMEREDT	£120 NEW
Fluted Handle	AUFLUTEDT	£100 NEW
Sleek Handle	AUSLEEKT	£40 NEW



Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.


*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.





1500 x 800mm Single Sliding Door with Side Panel



Door Opening

OPTIX 10 Single Sliding Door

BRUSHED BRASS



1500mm Single Sliding Door in Recess

- 2000mm enclosure height
- Brushed brass PVD finish
- Clear door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door with Soft Close

Width	Door Opening	Adjustment	Code	Price
1200mm	476	1155-1185 (1170-1185**)	OXSLFC1200	£1930
1400mm	576	1355-1385 (1370-1385**)	OXSLFC1400	£2066
1500mm	626	1455-1485 (1470-1485**)	OXSLFC1500	£2126
1700mm	626	1655-1685 (1670-1685**)	OXSLFC1700	£2390

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel.*

Side Panel

Width	Adjustment	Code	Price
800mm	765-790	OXSLSPFC0800	£795
900mm	865-890	OXSLSPFC0900	£895

Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.


Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLF	£135
Hammered Handle	AUHAMMEREDF	£120 NEW
Fluted Handle	AUFLUTEDF	£100 NEW
Sleek Handle	AUSLEEKF	£40 NEW

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm



Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.


*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.





900 x 900mm Pivot Door with Side Panel



Door Opening

OPTIX 10 Pivot Door

BRUSHED BRASS



900mm Pivot Door in Recess

- 2000mm enclosure height
- Brushed brass PVD finish
- Clear door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code	Price
800mm	600	760-785 (770-795**)	OXWPFC0800	£1430
900mm	800	860-885 (870-895**)	OXWPFC0900	£1455

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel*

Side Panel

Width	Adjustment	Code	Price
800mm	770-795	OXWSPFC0800	£865
900mm	870-895	OXWSPFC0900	£925

Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.


Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLF	£135
Hammered Handle	AUHAMMEREDF	£120 NEW
Fluted Handle	AUFLUTEDF	£100 NEW
Sleek Handle	AUSLEEKF	£40 NEW

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152


This enclosure requires a shower tray with a minimum ledge of 60mm



Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



1400 x 800mm Pivot Door with Inline Panel and Side Panel

Door Opening

OPTIX 10 Pivot Door with Inline Panel

BRUSHED BRASS



1400mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Brushed brass PVD finish
- Clear door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code	Price
1000mm	600	960-985 (970-995**)	OXPDFC1000	£1985
1200mm	650	1160-1185 (1170-1195**)	OXPDFC1200	£2050

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel

Side Panel

Width	Adjustment	Code	Price
800mm	775-795	OXPDSPFC0800	£795
900mm	875-895	OXPDSPFC0900	£835

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.


Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLF	£135
Hammered Handle	AUHAMMEREDF	£120 NEW
Fluted Handle	AUFLUTEDF	£100 NEW
Sleek Handle	AUSLEEKF	£40 NEW

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152


This enclosure requires a shower tray with a minimum ledge of 60mm




Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



Door Opening LH



Door Opening RH

900mm Right Handed Quadrant Single Door

OPTIX 10 Quadrant Enclosures

BRUSHED BRASS



1200 x 900mm Left Handed Offset Quadrant Single Door

- 2000mm enclosure height
- Brushed brass PVD finish
- Clear door seals
- Doors available with left or right hand entry
- Smooth soft close door
- Quick release stainless steel rollers
- 20mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
900mm (R)	446	870-890	OXQSFC0900_R	£2490
900mm (L)	446	870-890	OXQSFC0900_L	£2490

This enclosure requires a shower tray with a minimum ledge of 60mm

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
1000 x 800mm (R)	403	770-790/960-980	OXQSFC10X8_R	£2625
1000 x 800mm (L)	403	770-790/960-980	OXQSFC10X8_L	£2625
1200 x 800mm (R)	403	770-790/1170-1190	OXQSFC12X8_R	£2850
1200 x 800mm (L)	403	770-790/1170-1190	OXQSFC12X8_L	£2850
1200 x 900mm (R)	446	870-890/1170-1190	OXQSFC12X9_R	£2985
1200 x 900mm (L)	446	870-890/1170-1190	OXQSFC12X9_L	£2985

This enclosure requires a shower tray with a minimum ledge of 60mm

Optional Upgrades


Part	Code	Price
Knurled Handle	OXKNURLF	£135
Hammered Handle	AUHAMMEREDF	£120 NEW
Fluted Handle	AUFLUTEDF	£100 NEW
Sleek Handle	AUSLEEKF	£40 NEW

Recommended Tray

Size	Code	Price	Page
900mm Quad	CRQ900X900W	£270	152
900mm Quad	CRQ900X900W	£270	152

Recommended Tray


Size	Code	Price
800 x 1000mm (R)	CRQ800X1000RHW	£390
800 x 1000mm (L)	CRQ800X1000LHW	£390
800 x 1200mm (R)	CRQ800X1200RHW	£410
800 x 1200mm (L)	CRQ800X1200LHW	£410
900 x 1200mm (R)	CRQ900X1200RHW	£470
900 x 1200mm (L)	CRQ900X1200LHW	£470



Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



Door Opening

OPTIX 10 Single Sliding Door

BRUSHED STAINLESS STEEL



1400mm Single Sliding Door in Recess

- 2000mm enclosure height
- Brushed stainless steel finish
- Clear door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door with Soft Close

Width	Door Opening	Adjustment	Code	Price
1200mm	476	1155-1185 (1170-1185**)	OXSLVC1200	£1930
1400mm	576	1355-1385 (1370-1385**)	OXSLVC1400	£2065

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel*


Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLV	£135
Hammered Handle	AUHAMMEREDV	£120 NEW
Fluted Handle	AUFLUTEDV	£100 NEW
Sleek Handle	AUSLEEKV	£40 NEW

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm




Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.





1400 x 800mm Pivot Door with Inline Panel and Side Panel

Door Opening

OPTIX 10 Pivot Door with Inline Panel

BRUSHED STAINLESS STEEL



1400mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Brushed stainless steel finish
- Clear door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code	Price
800mm	500	760-785 (770-795**)	OXPDVC0800	£1725
900mm	500	860-885 (870-895**)	OXPDVC0900	£1760

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel

Side Panel

Width	Adjustment	Code	Price
800mm	775-795	OXPDSPVC0800	£795
900mm	875-895	OXPDSPVC0900	£835

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.


Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLV	£135
Hammered Handle	AUHAMMEREDV	£120 NEW
Fluted Handle	AUFLUTEDV	£100 NEW
Sleek Handle	AUSLEEKV	£40 NEW

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm




Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.


*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.





Door Opening LH



Door Opening RH

900mm Right Handed Quadrant Single Door

OPTIX 10 Quadrant Single Door

BRUSHED STAINLESS STEEL



1200 x 900mm Left Handed Offset Quadrant Single Door

- 2000mm enclosure height
- Brushed stainless steel finish
- Clear door seals
- Doors available with left or right hand entry
- Smooth soft close door
- Quick release stainless steel rollers
- 20mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
900mm (R)	454	870-890	OXQSVC0900_R	£2490
900mm (L)	454	870-890	OXQSVC0900_L	£2490

This enclosure requires a shower tray with a minimum ledge of 60mm

Recommended Tray

Size	Code	Price	Page
900mm Quad	CRQ900X900W	£270	152
900mm Quad	CRQ900X900W	£270	152

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
1000 x 800mm (R)	403	770-790/960-980	OXQSVC10X8_R	£2625
1000 x 800mm (L)	403	770-790/960-980	OXQSVC10X8_L	£2625
1200 x 800mm (R)	403	770-790/1170-1190	OXQSVC12X8_R	£2850
1200 x 800mm (L)	403	770-790/1170-1190	OXQSVC12X8_L	£2850
1200 x 900mm (R)	446	870-890/1170-1190	OXQSVC12X9_R	£2985
1200 x 900mm (L)	446	870-890/1170-1190	OXQSVC12X9_L	£2985




This enclosure requires a shower tray with a minimum ledge of 60mm

Recommended Tray

Size	Code	Price
800 x 1000mm (R)	CRQ800X1000RHW	£390
800 x 1000mm (L)	CRQ800X1000LHW	£390
800 x 1200mm (R)	CRQ800X1200RHW	£410
800 x 1200mm (L)	CRQ800X1200LHW	£410
900 x 1200mm (R)	CRQ900X1200RHW	£470
900 x 1200mm (L)	CRQ900X1200LHW	£470

Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLV	£135
Hammered Handle	AUHAMMEREDV	£120 NEW
Fluted Handle	AUFLUTEDV	£100 NEW
Sleek Handle	AUSLEEKV	£40 NEW



Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



1500 x 800mm Single Sliding Door with Side Panel

Door Opening

OPTIX 10 Single Sliding Door

POLISHED STAINLESS STEEL



1500mm Single Sliding Door in Recess

- 2000mm enclosure height
- Polished 304 stainless steel finish
- Clear door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door with Soft Close

Width	Door Opening	Adjustment	Code	Price
1200mm	476	1155-1185 (1170-1185**)	OXSLSC1200	£1476
1400mm	576	1355-1385 (1370-1385**)	OXSLSC1400	£1560
1500mm	626	1455-1485 (1470-1485**)	OXSLSC1500	£1636
1700mm	626	1655-1685 (1670-1685**)	OXSLSC1700	£1745

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel*

Side Panel

Width	Adjustment	Code	Price
800mm	765-790	OXSLPSC0800	£625
900mm	865-890	OXSLPSC0900	£645

Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.

Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLPS	£110
Hammered Handle	AUHAMMEREDPS	£100 NEW
Fluted Handle	AUFLUTEDPS	£80 NEW
Sleek Handle	AUSLEEKPS	£30 NEW
Classic Handle	OXCLASSICPS	£100
Squeegee with Wall Bracket	SHSQUEEGCP	£45



Knurled Handle



Hammered Handle



Fluted Handle



Sleek Handle



Classic Handle



Squeegee

Recommended Tray


Range	Page
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



OPTIX 10 Pivot Door

POLISHED STAINLESS STEEL



900mm Pivot Door in Recess

- 2000mm enclosure height
- Polished 304 stainless steel finish
- Clear door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code	Price
800mm	600	760-785 (770-795**)	OXWPSC0800	£950
900mm	800	860-885 (870-895**)	OXWPSC0900	£980

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel*

Side Panel

Width	Adjustment	Code	Price
800mm	770-795	OXWSPSC0800	£625
900mm	870-895	OXWSPSC0900	£650

Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLPS	£110
Hammered Handle	AUHAMMEREDPS	£100 NEW
Fluted Handle	AUFLUTEDPS	£80 NEW
Sleek Handle	AUSLEEKPS	£30 NEW
Classic Handle	OXCLASSICPS	£100
Squeegee with Wall Bracket	SHSQUEEGCP	£45



Knurled Handle



Hammered Handle



Fluted Handle



Sleek Handle



Classic Handle



Squeegee

Recommended Tray


Range	Page
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



1400 x 800mm Pivot Door with Inline Panel and Side Panel

Door Opening

OPTIX 10 Pivot Door with Inline Panel

POLISHED STAINLESS STEEL



1400mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Polished 304 stainless steel finish
- Clear door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code	Price
800mm	500	760-785 (770-795**)	OXPDSC0800	£1245
1000mm	600	960-985 (970-995**)	OXPDSC1000	£1419
1200mm	650	1160-1185 (1170-1195**)	OXPDSC1200	£1560
1400mm	650	1360-1385 (1370-1395**)	OXPDSC1400	£1635

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel

Side Panel

Width	Adjustment	Code	Price
800mm	775-795	OXPDSPSC0800	£595
900mm	875-895	OXPDSPSC0900	£625

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

Optional Upgrades

Part	Code	Price
Knurled Handle	OXKNURLPS	£110
Hammered Handle	AUHAMMEREDPS	£100 NEW
Fluted Handle	AUFLUTEDPS	£80 NEW
Sleek Handle	AUSLEEKPS	£30 NEW
Classic Handle	OXCLASSICPS	£100
Squeegee with Wall Bracket	SHSQUEEGCP	£45



Knurled Handle



Hammered Handle



Fluted Handle



Sleek Handle



Classic Handle



Squeegee

Recommended Tray

Range	Page
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.

NEW
AVAILABLE
AUTUMN
2024





ASURA 8

The new Asura collection provides a beautiful solution for modern, minimalist bathroom designs.

This range of 8mm toughened safety glass offers a comprehensive assortment of sizes, configurations and finishes, allowing you to personalise your shower enclosure design with a style that suits you.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

BRUSHED BRONZE

Sliding Doors / Hinged Doors p 72

Infold Doors / Quadrant Enclosures p 74

SLATE

Sliding Doors / Hinged Doors p 76

Infold Doors / Quadrant Enclosures p 78

BRUSHED BRASS

Sliding Doors / Hinged Doors p 80

Infold Doors / Quadrant Enclosures p 82

BRUSHED STAINLESS STEEL

Sliding Doors / Hinged Doors p 84

Infold Doors / Quadrant Enclosures p 86

POLISHED STAINLESS STEEL

Sliding Doors / Hinged Doors p 88

Infold Doors / Quadrant Enclosures p 90

MATT BLACK

Sliding Doors / Hinged Doors p 92

Infold Doors / Quadrant Enclosures p 94



ASURA 8

Product Highlights

1. High quality engineering ensures smooth and quiet operation on our Infold door
2. The positioning of the hinges at the top and bottom of the glass delivers a sleek contemporary look
3. No visible fixings throughout the Asura range
4. Sliding doors and quadrant enclosures include soft close which provides a quiet and cushioned open and close experience
5. Slim, modern profiles combined with our next generation 2 part hinge technology ensures Asura stands out from the crowd





ASURA 8 Sliding Door

BRUSHED BRONZE



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price
1200mm	456	1150–1190	AUSLBZC1200	£1049 NEW
1400mm	556	1350–1390	AUSLBZC1400	£1099 NEW
1500mm	606	1450–1490	AUSLBZC1500	£1379 NEW
1700mm	606	1650–1690	AUSLBZC1700	£1429 NEW

Side Panel

Width	Adjustment	Code	Price
800mm	770–790	AUSLSPBZC0800	£520 NEW
900mm	870–890	AUSLSPBZC0900	£540 NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price
Hammered Handle	AUHAMMEREDBZ	£120 NEW
Fluted Handle	AUFLUTEDBZ	£100 NEW
Sleek Handle	AUSLEEKBZ	£40 NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Hinged Door

BRUSHED BRONZE



900 x 900mm Hinged Door with Side Panel



Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	Price	
800mm	604	775-790	AUHDBZC0800	£850	NEW
900mm	704	875-890	AUHDBZC0900	£950	NEW
1000mm	804	975-990	AUHDBZC1000	£1050	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	760-775	AUHDSBZC0800	£520	NEW
900mm	860-875	AUHDSBZC0900	£540	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDBZ	£120	NEW
Fluted Handle	AUFLUTEDBZ	£100	NEW
Sleek Handle	AUSLEEKBZ	£40	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.



ASURA 8 Infold Door

BRUSHED BRONZE



900 x 900mm infold Door with Side Panel

Door Opening



900mm infold Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	Price	
800mm	595	760-790	AUIDBZC0800	£950	NEW
900mm	644	860-890	AUIDBZC0900	£1050	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	770-785	AUIDSPBZC0800	£525	NEW
900mm	870-885	AUIDSPBZC0900	£550	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDBZ	£120	NEW
Fluted Handle	AUFLUTEDBZ	£100	NEW
Sleek Handle	AUSLEEKBZ	£40	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Quadrant Enclosure

BRUSHED BRONZE



900 x 900mm Quadrant Door



Door Opening



900mm Quadrant Door

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
800mm	395	766-780	AUQSBZC0800	£1150 NEW
900mm	446	865-880	AUQSBZC0900	£1175 NEW

Offset Quadrant Single Door


Width	Adjustment	Code	Price
1000 x 800mm	965-980 / 765-780	AUQSBZC10X8	£1200 NEW
1200 x 800mm	1165-1180 / 765-780	AUQSBZC12X8	£1250 NEW
1200 x 900mm	1165-1180 / 865-880	AUQSBZC12X9	£1300 NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price
Hammered Handle	AUHAMMEREDBZ	£120 NEW
Fluted Handle	AUFLUTEDBZ	£100 NEW
Sleek Handle	AUSLEEKBZ	£40 NEW



ASURA 8 Sliding Door

SLATE



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price
1200mm	456	1150-1190	AUSLTC1200	£1049 NEW
1400mm	556	1350-1390	AUSLTC1400	£1099 NEW
1500mm	606	1450-1490	AUSLTC1500	£1379 NEW
1700mm	606	1650-1690	AUSLTC1700	£1429 NEW

Side Panel

Width	Adjustment	Code	Price
800mm	770-790	AUSLSPTC0800	£520 NEW
900mm	870-890	AUSLSPTC0900	£540 NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price
Hammered Handle	AUHAMMEREDT	£120 NEW
Fluted Handle	AUFLUTEDT	£100 NEW
Sleek Handle	AUSLEEKT	£40 NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Hinged Door

SLATE



900 x 900mm Hinged Door with Side Panel

Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	Price	
800mm	604	775-790	AUHDTC0800	£850	NEW
900mm	704	875-890	AUHDTC0900	£950	NEW
1000mm	804	975-990	AUHDTC1000	£1050	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	760-775	AUHDSPTC0800	£520	NEW
900mm	860-875	AUHDSPTC0900	£540	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDT	£120	NEW
Fluted Handle	AUFLUTEDT	£100	NEW
Sleek Handle	AUSLEEK	£40	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.



ASURA 8 Infold Door

SLATE



900 x 900mm infold Door with Side Panel

Door Opening



900mm infold Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	Price	
800mm	595	760-790	AUIDTC0800	£950	NEW
900mm	644	860-890	AUIDTC0900	£1050	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	770-785	AUIDSPTC0800	£525	NEW
900mm	870-885	AUIDSPTC0900	£550	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDT	£120	NEW
Fluted Handle	AUFLUTEDT	£100	NEW
Sleek Handle	AUSLEEK	£40	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Quadrant Enclosure

SLATE



900 x 900mm Quadrant Door

Door Opening



900mm Quadrant Door

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
800mm	395	766-780	AUQSTC0800	£1150 NEW
900mm	446	865-880	AUQSTC0900	£1175 NEW

Offset Quadrant Single Door


Width	Adjustment	Code	Price
1000 x 800mm	965-980 / 765-780	AUQSTC10X8	£1200 NEW
1200 x 800mm	1165-1180 / 765-780	AUQSTC12X8	£1250 NEW
1200 x 900mm	1165-1180 / 865-880	AUQSTC12X9	£1250 NEW

Recommended Tray


Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options


Part	Code	Price
Hammered Handle	AUHAMMEREDT	£120 NEW
Fluted Handle	AUFLUTEDT	£100 NEW
Sleek Handle	AUSLEEKT	£40 NEW



Hammered



Fluted



Sleek



ASURA 8 Sliding Door

BRUSHED BRASS



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price
1200mm	456	1150–1190	AUSLFC1200	£1049 NEW
1400mm	556	1350–1390	AUSLFC1400	£1099 NEW
1500mm	606	1450–1490	AUSLFC1500	£1379 NEW
1700mm	606	1650–1690	AUSLFC1700	£1429 NEW

Side Panel

Width	Adjustment	Code	Price
800mm	770–790	AUSLSPFC800	£520 NEW
900mm	870–890	AUSLSPFC900	£540 NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price
Hammered Handle	AUHAMMEREDF	£120 NEW
Fluted Handle	AUFLUTEDF	£100 NEW
Sleek Handle	AUSLEEKF	£40 NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Hinged Door

BRUSHED BRASS



900 x 900mm Hinged Door with Side Panel

Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	Price	
800mm	604	775-790	AUHDFC0800	£850	NEW
900mm	704	875-890	AUHDFC0900	£875	NEW
1000mm	804	975-990	AUHDFC1000	£1050	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	760-775	AUHDSPPFC0800	£520	NEW
900mm	860-875	AUHDSPPFC0900	£540	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDF	£120	NEW
Fluted Handle	AUFLUTEDF	£100	NEW
Sleek Handle	AUSLEEKF	£40	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.



ASURA 8 Infold Door

BRUSHED BRASS



900 x 900mm infold Door with Side Panel

Door Opening



900mm infold Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	Price	
800mm	595	760-790	AUIDFC0800	£950	NEW
900mm	644	860-890	AUIDFC0900	£1050	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	770-785	AUIDSPFC0800	£525	NEW
900mm	870-885	AUIDSPFC0900	£550	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDF	£120	NEW
Fluted Handle	AUFLUTEDF	£100	NEW
Sleek Handle	AUSLEEKF	£40	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Quadrant Enclosure

BRUSHED BRASS



900 x 900mm Quadrant Door

Door Opening



900mm Quadrant Door

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
800mm	595	766-780	AUQSFC0800	£1150 NEW
900mm	644	865-880	AUQSFC0900	£1175 NEW

Offset Quadrant Single Door


Width	Adjustment	Code	Price
1000 x 800mm	965-980 / 765-780	AUQSFC10X8	£1200 NEW
1200 x 800mm	1165-1180 / 765-780	AUQSFC12X8	£1250 NEW
1200 x 900mm	1165-1180 / 865-880	AUQSFC12X9	£1300 NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price
Hammered Handle	AUHAMMEREDF	£120 NEW
Fluted Handle	AUFLUTEDF	£100 NEW
Sleek Handle	AUSLEEKF	£40 NEW



ASURA 8 Sliding Door

BRUSHED STAINLESS STEEL



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price
1200mm	456	1150–1190	AUSLVC1200	£1049 NEW
1400mm	556	1350–1390	AUSLVC1400	£1099 NEW
1500mm	606	1450–1490	AUSLVC1500	£1379 NEW
1700mm	606	1650–1690	AUSLVC1700	£1429 NEW

Side Panel

Width	Adjustment	Code	Price
800mm	770–790	AUSLSPVC0800	£520 NEW
900mm	870–890	AUSLSPVC0900	£540 NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price
Hammered Handle	AUHAMMEREDV	£120 NEW
Fluted Handle	AUFLUTEDV	£100 NEW
Sleek Handle	AUSLEEKV	£40 NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Hinged Door

BRUSHED STAINLESS STEEL



900 x 900mm Hinged Door with Side Panel

Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	Price	
800mm	604	775-790	AUHDVC0800	£850	NEW
900mm	704	875-890	AUHDVC0900	£950	NEW
1000mm	804	975-990	AUHDVC1000	£1050	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	760-775	AUHDSPVC0800	£520	NEW
900mm	860-875	AUHDSPVC0900	£540	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDV	£120	NEW
Fluted Handle	AUFLUTEDV	£100	NEW
Sleek Handle	AUSLEEKV	£40	NEW




†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

ASURA 8 Infold Door

BRUSHED STAINLESS STEEL



900 x 900mm infold Door with Side Panel



Door Opening



900mm infold Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	Price	
800mm	595	760-790	AUIDVC0800	£950	NEW
900mm	644	860-890	AUIDVC0900	£1050	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	770-785	AUIDSPVC0800	£525	NEW
900mm	870-885	AUIDSPVC0900	£550	NEW

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDV	£120	NEW
Fluted Handle	AUFLUTEDV	£100	NEW
Sleek Handle	AUSLEEKV	£40	NEW



Hammered



Fluted



Sleek

†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Quadrant Enclosure

BRUSHED STAINLESS STEEL



900 x 900mm Quadrant Door

Door Opening



900mm Quadrant Door

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
800mm	595	766-780	AUQSVC0800	£1150 NEW
900mm	644	865-880	AUQSVC0900	£1175 NEW

Offset Quadrant Single Door


Width	Adjustment	Code	Price
1000 x 800mm	965-980 / 765-780	AUQSVC10X8	£1200 NEW
1200 x 800mm	1165-1180 / 765-780	AUQSVC12X8	£1250 NEW
1200 x 900mm	1165-1180 / 865-880	AUQSVC12X9	£1300 NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price
Hammered Handle	AUHAMMEREDV	£120 NEW
Fluted Handle	AUFLUTEDV	£100 NEW
Sleek Handle	AUSLEEKV	£40 NEW



ASURA 8 Sliding Door

POLISHED STAINLESS STEEL



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 2000mm enclosure height
- Hard wearing Polished stainless steel finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price	
1200mm	456	1150–1190	AUSLSC1200	£800	NEW
1400mm	556	1350–1390	AUSLSC1400	£900	NEW
1500mm	606	1450–1490	AUSLSC1500	£1000	NEW
1700mm	606	1650–1690	AUSLSC1700	£1080	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	770–790	AUSLSPSC0800	£450	NEW
900mm	870–890	AUSLSPSC0900	£475	NEW

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDPS	£100	NEW
Fluted Handle	AUFLUTEDPS	£80	NEW
Sleek Handle	AUSLEEKPS	£30	NEW



Hammered



Fluted



Sleek

†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Hinged Door

POLISHED STAINLESS STEEL



900 x 900mm Hinged Door with Side Panel

Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Hard wearing Polished stainless steel finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	Price	
800mm	604	775-790	AUHDSC0800	£590	NEW
900mm	704	875-890	AUHDSC0900	£630	NEW
1000mm	804	975-990	AUHDSC1000	£660	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	760-775	AUHDSPSC0800	£450	NEW
900mm	860-875	AUHDSPSC0900	£475	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDPS	£100	NEW
Fluted Handle	AUFLUTEDPS	£80	NEW
Sleek Handle	AUSLEEKPS	£30	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

ASURA 8 Infold Door

POLISHED STAINLESS STEEL



900 x 900mm infold Door with Side Panel

Door Opening



900mm infold Door in Recess

- 2000mm enclosure height
- Hard wearing Polished stainless steel finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	Price	
800mm	595	760-790	AUIDSC0800	£700	NEW
900mm	644	860-890	AUIDSC0900	£750	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	770-785	AUIDSPSC0800	£400	NEW
900mm	870-885	AUIDSPSC0900	£425	NEW

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDPS	£100	NEW
Fluted Handle	AUFLUTEDPS	£80	NEW
Sleek Handle	AUSLEEKPS	£30	NEW



Hammered



Fluted



Sleek

†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

90 Visit [crosswater.co.uk](https://www.crosswater.co.uk) for installation instructions, to view our buying guides or to find your local retailer.

ASURA 8 Quadrant Enclosure

POLISHED STAINLESS STEEL



900 x 900mm Quadrant Door

Door Opening



900mm Quadrant Door

- 2000mm enclosure height
- Hard wearing Polished stainless steel finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price	
800mm	595	766-780	AUQSSC0800	£900	NEW
900mm	644	865-880	AUQSSC0900	£950	NEW

Offset Quadrant Single Door


Width	Adjustment	Code	Price	
1000 x 800mm	965-980 / 765-780	AUQSSC10X8	£990	NEW
1200 x 800mm	1165-1180 / 765-780	AUQSSC12X8	£1040	NEW
1200 x 900mm	1165-1180 / 865-880	AUQSSC12X9	£1080	NEW

Recommended Tray


Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options


Part	Code	Price	
Hammered Handle	AUHAMMERDPS	£100	NEW
Fluted Handle	AUFLUTEDPS	£80	NEW
Sleek Handle	AUSLEEKPS	£30	NEW



Hammered



Fluted



Sleek

ASURA 8 Sliding Door

MATT BLACK



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 2000mm enclosure height
- Durable Matt Black powder coated finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price	
1200mm	456	1150-1190	AUSLBC1200	£850	NEW
1400mm	556	1350-1390	AUSLBC1400	£950	NEW
1500mm	606	1450-1490	AUSLBC1500	£1025	NEW
1700mm	606	1650-1690	AUSLBC1700	£1049	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	770-790	AUSLSPBC0800	£520	NEW
900mm	870-890	AUSLSPBC0900	£540	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDMB	£110	NEW
Fluted Handle	AUFLUTEDMB	£90	NEW
Sleek Handle	AUSLEEKPMB	£35	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Hinged Door

MATT BLACK



900 x 900mm Hinged Door with Side Panel

Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Durable Matt Black powder coated finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	Price	
800mm	604	775-790	AUHDBC0800	£640	NEW
900mm	704	875-890	AUHDBC0900	£680	NEW
1000mm	804	975-990	AUHDBC1000	£710	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	760-775	AUHDSBBC0800	£475	NEW
900mm	860-875	AUHDSBBC0900	£500	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDMB	£110	NEW
Fluted Handle	AUFLUTEDMB	£90	NEW
Sleek Handle	AUSLEEKPMB	£35	NEW



*Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.



ASURA 8 Infold Door

MATT BLACK



900 x 900mm infold Door with Side Panel

Door Opening



900mm infold Door in Recess

- 2000mm enclosure height
- Durable Matt Black powder coated finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	Price	
800mm	595	760-790	AUIDBC0800	£800	NEW
900mm	644	860-890	AUIDBC0900	£830	NEW

Side Panel

Width	Adjustment	Code	Price	
800mm	770-785	AUIDSPBC0800	£425	NEW
900mm	870-885	AUIDSPBC0900	£450	NEW

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDMB	£110	NEW
Fluted Handle	AUFLUTEDMB	£90	NEW
Sleek Handle	AUSLEEKPMB	£35	NEW



Hammered



Fluted



Sleek

†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Quadrant Enclosure

MATT BLACK



900 x 900mm Quadrant Door



Door Opening



900mm Quadrant Door

- 2000mm enclosure height
- Durable Matt Black powder coated finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price	
800mm	595	766-780	AUQSBC0800	£1050	NEW
900mm	644	865-880	AUQSBC0900	£1075	NEW

Offset Quadrant Single Door


Width	Adjustment	Code	Price	
1000 x 800mm	965-980 / 765-780	AUQSBC10X8	£1045	NEW
1200 x 800mm	1165-1180 / 765-780	AUQSBC12X8	£1100	NEW
1200 x 900mm	1165-1180 / 865-880	AUQSBC12X9	£1150	NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	Price	
Hammered Handle	AUHAMMEREDMB	£110	NEW
Fluted Handle	AUFLUTEDMB	£90	NEW
Sleek Handle	AUSLEEKPMB	£35	NEW



Hammered

Fluted

Sleek



GALLERY 8

Expertly curated, our luxury GALLERY 8 collection offers 8mm toughened safety glass, profiles and stabilising options in an assortment of indulgent colours with diverse layout options, giving you complete design flexibility to create your personalised showering solution.

The GALLERY 8 range is suitable for either a shower tray or tiled floor installation.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

BRUSHED BRONZE

Walk In p 100

SLATE

Walk In p 102

BRUSHED BRASS

Walk In p 104

BRUSHED STAINLESS STEEL

Walk In p 106

POLISHED STAINLESS STEEL

Walk In p 108

MATT BLACK

Walk In p 110




GALLERY 8

Product Highlights

1. Slimline wall profile with concealed fixings and cover cap
2. Glass to glass corner seal for joining glass panels
3. Fixed return panel bracket for joining glass panels
4. Fixed panels with T bracing bar
5. 180° hinged deflector panel
6. Glass to ceiling bracing bar
7. Glass to wall bracing bar





GALLERY 8 Brushed Bronze



Open Ended with Glass to Wall Bracing Bar and Hinged Deflector Panel

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed bronze finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Toughened Glass Panels

Width	Code	Price
255mm	GR030008CF	£108
355mm	GR040008CF	£124
455mm	GR050008CF	£148
555mm	GR060008CF	£168
655mm	GR070008CF	£192
715mm	GR076008CF	£204
755mm	GR080008CF	£212
855mm	GR090008CF	£236
955mm	GR100008CF	£252
1055mm	GR110008CF	£280
1155mm	GR120008CF	£296
1355mm	GR140008CF	£316

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code	Price
Wall Profile with Seal	2000mm	15mm	GRPROFILEBZ	£360

Optional Glass Bottom Seal

Size	Code	Price
1400 x 8mm	GRSEAL1400X8	£8

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Corner with T Bracing Bar

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit crosswater.co.uk

Stabilising Fixings

Part	Size	Code	Price
Glass to Wall Bracing Bar	1200mm	GRBRACEBZ	£164
T Bracing Bar	1200 x 1200mm	GRTBRACEBZ	£280
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEBZ	£140
Angled Bracing Bar	941mm	GRANGLEBRACEBZ	£188
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£20

Hinged Deflector Panel Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEBZ	£265
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£128

Fixed Deflector Panel Fittings

Part	Size	Code	Price
Fixed Deflector Glass	300mm	GR030008CF	£108
Fixed Deflector Glass	400mm	GR040008CF	£124
Glass to Glass Brackets (Pair)	-	GRBRACKBZ	£120
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£16

**Recommended when using glass to glass brackets

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152



GALLERY 8 Slate



Open Ended with Angled Glass to Wall Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Slate finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Toughened Glass Panels

Width	Code	Price
255mm	GR030008CF	£108
355mm	GR040008CF	£124
455mm	GR050008CF	£148
555mm	GR060008CF	£168
655mm	GR070008CF	£192
715mm	GR076008CF	£204
755mm	GR080008CF	£212
855mm	GR090008CF	£236
955mm	GR100008CF	£252
1055mm	GR110008CF	£280
1155mm	GR120008CF	£296
1355mm	GR140008CF	£316

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code	Price
Wall Profile with Seal	2000mm	15mm	GRPROFILET	£335

Optional Glass Bottom Seal

Size	Code	Price
1400 x 8mm	GRSEAL1400X8	£8

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar and Hinged Deflector Panel

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit crosswater.co.uk

Stabilising Fixings

Part	Size	Code	Price
Glass to Wall Bracing Bar	1200mm	GRBRACET	£151
T Bracing Bar	1200 x 1200mm	GRTBRACET	£255
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACET	£127
Angled Bracing Bar	941mm	GRANGLEBRACET	£175
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£20

Hinged Deflector Panel Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGET	£207
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£128

Fixed Deflector Panel Fittings

Part	Size	Code	Price
Fixed Deflector Glass	300mm	GR030008CF	£108
Fixed Deflector Glass	400mm	GR040008CF	£124
Glass to Glass Brackets (Pair)	-	GRBRACKET	£108
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£16

**Recommended when using glass to glass brackets

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152



GALLERY 8 Brushed Brass



Open Ended with Angled Glass to Wall Bracing Bar



Walk Through with Fixed Deflector Panels

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed brass finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Toughened Glass Panels

Width	Code	Price
255mm	GR030008CF	£108
355mm	GR040008CF	£124
455mm	GR050008CF	£148
555mm	GR060008CF	£168
655mm	GR070008CF	£192
715mm	GR076008CF	£204
755mm	GR080008CF	£212
855mm	GR090008CF	£236
955mm	GR100008CF	£252
1055mm	GR110008CF	£280
1155mm	GR120008CF	£296
1355mm	GR140008CF	£316

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code	Price
Wall Profile with Seal	2000mm	15mm	GRPROFILEF	£360

Optional Glass Bottom Seal

Size	Code	Price
1400 x 8mm	GRSEAL1400X8	£8

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit crosswater.co.uk

Stabilising Fixings

Part	Size	Code	Price
Glass to Wall Bracing Bar	1200mm	GRBRACEF	£164
T Bracing Bar	1200 x 1200mm	GRTBRACEF	£280
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEF	£140
Angled Bracing Bar	941mm	GRANGLEBRACEF	£188
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£20

Hinged Deflector Panel Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEF	£265
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£128

Fixed Deflector Panel Fittings

Part	Size	Code	Price
Fixed Deflector Glass	300mm	GR030008CF	£108
Fixed Deflector Glass	400mm	GR040008CF	£124
Glass to Glass Brackets (Pair)	-	GRBRACKF	£120
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£16

**Recommended when using glass to glass brackets

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152



GALLERY 8 Brushed Stainless Steel



Open Ended with Glass to Wall Bracing Bar



Corner with T Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed stainless steel finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Toughened Glass Panels

Width	Code	Price
255mm	GR030008CF	£108
355mm	GR040008CF	£124
455mm	GR050008CF	£148
555mm	GR060008CF	£168
655mm	GR070008CF	£192
715mm	GR076008CF	£204
755mm	GR080008CF	£212
855mm	GR090008CF	£236
955mm	GR100008CF	£252
1055mm	GR110008CF	£280
1155mm	GR120008CF	£296
1355mm	GR140008CF	£316

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code	Price
Wall Profile with Seal	2000mm	15mm	GRPROFILEV	£360

Optional Glass Bottom Seal

Size	Code	Price
1400 x 8mm	GRSEAL1400X8	£8

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit crosswater.co.uk

Stabilising Fixings

Part	Size	Code	Price
Glass to Wall Bracing Bar	1200mm	GRBRACEV	£164
T Bracing Bar	1200 x 1200mm	GRTBRACEV	£280
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEV	£140
Angled Bracing Bar	941mm	GRANGLEBRACEV	£188
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£20

Hinged Deflector Panel Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEV	£228
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£128

Fixed Deflector Panel Fittings

Part	Size	Code	Price
Fixed Deflector Glass	300mm	GR030008CF	£108
Fixed Deflector Glass	400mm	GR040008CF	£124
Glass to Glass Brackets (Pair)	-	GRBRACKV	£120
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£16

**Recommended when using glass to glass brackets

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152



GALLERY 8 Polished Stainless Steel



Open Ended with Angled Glass to Wall Bracing Bar



Recess with Hinged Deflector Panel

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Polished 304 grade stainless steel finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Toughened Glass Panels

Width	Code	Price
255mm	GR030008CF	£108
355mm	GR040008CF	£124
455mm	GR050008CF	£148
555mm	GR060008CF	£168
655mm	GR070008CF	£192
715mm	GR076008CF	£204
755mm	GR080008CF	£212
855mm	GR090008CF	£236
955mm	GR100008CF	£252
1055mm	GR110008CF	£280
1155mm	GR120008CF	£296
1355mm	GR140008CF	£316

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code	Price
Wall Profile with Seal	2000mm	15mm	GRPROFILEPSS	£225

Optional Glass Bottom Seal

Size	Code	Price
1400 x 8mm	GRSEAL1400X8	£8

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit crosswater.co.uk

Stabilising Fixings

Part	Size	Code	Price
Glass to Wall Bracing Bar	1200mm	GRBRACEPSS	£100
T Bracing Bar	1200 x 1200mm	GRTBRACEPSS	£176
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEPSS	£92
Angled Bracing Bar	941mm	GRANGLEBRACEPSS	£115
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£20

Hinged Deflector Panel Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEPSS	£195
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£128

Fixed Deflector Panel Fittings

Part	Size	Code	Price
Fixed Deflector Glass	300mm	GR030008CF	£108
Fixed Deflector Glass	400mm	GR040008CF	£124
Glass to Glass Brackets (Pair)	-	GRBRACKPSS	£92
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£16

**Recommended when using glass to glass brackets

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Optional Accessories

Squeegee with Wall Bracket	
SHSQUEEGCP	£45



GALLERY 8 Matt Black



Open Ended with Angled Glass to Wall Bracing Bar



Glass Corner with T Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Matt black finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Toughened Glass Panels

Width	Code	Price
255mm	GR030008CF	£108
355mm	GR040008CF	£124
455mm	GR050008CF	£148
555mm	GR060008CF	£168
655mm	GR070008CF	£192
715mm	GR076008CF	£204
755mm	GR080008CF	£212
855mm	GR090008CF	£236
955mm	GR100008CF	£252
1055mm	GR110008CF	£280
1155mm	GR120008CF	£296
1355mm	GR140008CF	£316

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code	Price
Wall Profile with Seal	2000mm	15mm	GRPROFILEMB	£225

Optional Glass Bottom Seal

Size	Code	Price
1400 x 8mm	GRSEAL1400X8	£8

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit crosswater.co.uk

Stabilising Fixings

Part	Size	Code	Price
Glass to Wall Bracing Bar	1200mm	GRBRACEMB	£104
T Bracing Bar	1200 x 1200mm	GRTBRACEMB	£176
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEMB	£96
Angled Bracing Bar	941mm	GRANGLEBRACEMB	£120
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10	£20

Hinged Deflector Panel Fittings

Part	Size	Code	Price
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEMB	£172
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300	£128

Fixed Deflector Panel Fittings

Part	Size	Code	Price
Fixed Deflector Glass	300mm	GR030008CF	£108
Fixed Deflector Glass	400mm	GR040008CF	£124
Glass to Glass Brackets (Pair)	-	GRBRACKMB	£92
Glass to Glass Seal**	2000mm	GRBUBBLESEAL	£16

**Recommended when using glass to glass brackets

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152





DESIGN 8

Intelligently built across an extensive range of door options and sizes our premium 8mm glass range DESIGN 8 has become a contemporary classic in its field.

A simple and sleek semi-frameless form with strong 8mm toughened, and high performance hardware is finished in Silver anodised aluminium.

The Design 8 range is suitable for either a shower tray or tiled floor installation.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

SILVER

Sliding Doors p 116

Hinged Doors p 117

Quadrant Enclosures p 118

Walk In Panels p 119



DESIGN 8

Product Highlights

1. Watertight magnetic door seals in Clear
2. Slim modern chrome finish and bracing bars
3. Wall profile and bracing bar with concealed fixings
4. Ultra-strong bracing bar for side or walk-in panels
5. Unique double handle design in chrome finish
6. Smart easy-clean internal flush-fit hinges
7. High-performance hinges and cleverly designed door seals guarantee no leaks



1



DESIGN 8 Single Sliding Door with Soft Close



1500 x 900mm Single Sliding Door with Side Panel

Door Opening



1500mm Single Sliding Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Quick release double rollers for easier cleaning
- Soft close opening and closing
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door with Soft Close

Width	Door Opening	Adjustment	Code	Price
1100mm	439	1060–1085 (1070–1095**)	DSLSC1100	£855
1200mm	489	1160–1185 (1170–1195**)	DSLSC1200	£865
1400mm	589	1360–1385 (1370–1395**)	DSLSC1400	£910
1500mm	639	1460–1485 (1470–1495**)	DSLSC1500	£975
1700mm	739	1660–1685 (1670–1695**)	DSLSC1700	£1020

**Adjustment when used with a side panel

Side Panel

Width	Adjustment	Code	Price
800mm	775–785	DSLSP0800	£375
900mm	875–885	DSLSP0900	£390

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

This enclosure requires a shower tray with a minimum ledge of 60mm

Optional Fittings

Wall channel for uneven surfaces	
DSLADJPROFILE	£85
Bracing bar for 800mm side panel	
DEBRACE650	£60
Bracing bar for 900 or 1000mm side panel	
DEBRACE700	£60

†Moving door is 6mm toughened glass, the fixed panel is 8mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

DESIGN 8 Hinged Door with Inline Panel



900 x 900mm Hinged Door with Inline Panel and Side Panel

Door Opening



900mm Hinged Door with Inline Panel in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Flush fit hinges
- Concealed fixings
- Suitable for tray or tiled floors (wet room)



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door with Inline Panel

Width	Door Opening	Adjustment	Code	Price
900mm	590	870–895 (856–871**)	DHDSC0900_V2	£895
1000mm	590	970–995 (956–971**)	DHDSC1000_V2	£975
1200mm	640	1170–1195 (1156–1171**)	DHDSC1200_V2	£1050

**Adjustment when used with a side panel

Side Panel

Width		Adjustment	Code	Price
700mm		675–690	DSPSC0700_V2	£415
800mm		775–790	DSPSC0800_V2	£445
900mm		875–890	DSPSC0900_V2	£475
1000mm		975–990	DSPSC1000_V2	£630
1100mm	supplied with bracing bar	1075–1090	DSPSC1100_V2	£695
1200mm	supplied with bracing bar	1175–1190	DSPSC1200_V2	£735

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152


Optional Fittings

15mm Side Panel Extension Profile	
DS0000110+	£105
Bracing bar for 700mm side panel	
DEBRACE500	£55
Bracing bar for 760mm side panel	
DEBRACE550	£55
Bracing bar for 800mm side panel	
DEBRACE650	£60
Bracing bar for 900 or 1000mm side panel	
DEBRACE700	£60

DESIGN 8 Quadrant Single Door



900mm Offset Quadrant Single Hinged Door



Door Opening



900mm Quadrant Single Hinged Door

- 1950mm enclosure height
- Silver anodised aluminium finish
- 15mm width adjustment for easy fitting
- Flush fit hinges
- Concealed fixings
- Suitable for 550mm radius shower trays or tiled floors (wet room)



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
900mm	650	870-885	DQSSC0900_V2	£985

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

DESIGN 8 Walk In Easy Access



1400mm Walk In Easy Access with Side Panel

Door Opening



1400mm Walk In Easy Access in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- 90° hinged folding panel for easy access
- Reversible panels for left or right hand entry
- 15mm width adjustment for easy fitting
- Flush fit hinges
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Walk In Easy Access

Width	Door Opening	Adjustment	Code	Price
1400mm	700mm (fixed panel) 300mm (return panel)	670	1000-1015	DWQSC1400_V2 £785

Side Panel

Width	Adjustment	Code	Price
700mm	642-657	DSPSC0700_V2	£415
800mm	742-757	DSPSC0800_V2	£445
900mm	842-857	DSPSC0900_V2	£475

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

†Moving door is 6mm toughened glass, the fixed panel is 8mm toughened glass.

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Optional Fittings

Bracing bar for 400mm side panel	
DEBRACE250	£35
Bracing bar for 500mm side panel	
DEBRACE350	£50
Bracing bar for 600mm side panel	
DEBRACE450	£55
Bracing bar for 700mm side panel	
DEBRACE500	£55
Bracing bar for 760mm side panel	
DEBRACE550	£55
Bracing bar for 800mm side panel	
DEBRACE650	£60
Bracing bar for 900mm side panel	
DEBRACE700	£60



DESIGN 8 Walk In



Walk In Panel with Retro Fit Deflector and Side Panel



Recess Walk In with Retro Fit Deflector Panel

- 1950mm enclosure height
- Silver anodised aluminium finish
- 15mm width adjustment for easy fitting
- Choice of bracing bar options
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Walk In Panel

Width		Adjustment	Code	Price
700mm		642-657	DSPSC0700_V2	£415
800mm		742-757	DSPSC0800_V2	£445
900mm		842-857	DSPSC0900_V2	£475
1000mm		942-957	DSPSC1000_V2	£630
1100mm	supplied with 90° bracing bar	1042-1057	DSPSC1100_V2	£695
1200mm	supplied with 90° bracing bar	1142-1157	DSPSC1200_V2	£735

Retro Fit 90° Deflector Panel

Width	Code	Price
300mm	DWIDP300ST_V2	£345

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Recess with Double Walk In Panels



Walk Through (Requires 2 x Glass To Wall Bracing Bars)



Recess Walk In Panel



Retro Fit Deflector Panel

Optional Fittings

15mm side panel extension profile	DS0000110_V2	£105
Bracing bar for 400mm side panel	DEBRACE250	£35
Bracing bar for 500mm side panel	DEBRACE350	£50
Bracing bar for 600mm side panel	DEBRACE450	£55
Bracing bar for 700mm side panel	DEBRACE500	£55
Bracing bar for 760mm side panel	DEBRACE550	£55
Bracing bar for 800mm side panel	DEBRACE650	£60
Bracing bar for 900 or 1000mm side panel	DEBRACE700	£60
Ceiling mount bracing bar - 600mm	DCBRACE	£85
Glass to wall bracing bar - 1200mm	GRBRACEPSS	£100

†2000mm high - requires trimming during installation





CLEAR 6

Introducing the latest click and lock quick-fit installation system.

Dramatically reducing install time this patent protected[†] design is further enhanced by sleek modern profiles.

Upgraded premium hardware often only featured in more expensive shower doors, and a wide selection of door styles and sizes makes Clear 6 the ideal shower range for any bathroom application.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

BRUSHED BRASS

Sliding Doors p 126

Pivot Doors p 127

Infold Doors p 128

Quadrant Enclosures p 129

MATT BLACK

Sliding Doors p 130

Pivot Doors p 131

Infold Doors p 132

Bi-fold Doors p 133

Quadrant Enclosures p 134

SILVER

Sliding Doors p 135

Hinged Doors p 136

Pivot Doors p 137

Infold Doors p 138

Bi-fold Doors p 139

Quadrant Enclosures p 140



CLEAR 6

Product Highlights

1. Watertight door seals in Clear, Black or Brass
2. Smooth pivot door motion with secure closing
3. Free-flowing rollers with height adjustment and concealed profiles
4. Easy, quick side panel adjustment
5. Rolling Infold door with matchless water guard system
6. Elegant chrome-plated soft square double handle
7. Super-seal wall profiles virtually remove the need for silicone
8. Simple, quick-release, easy-clean double rollers
9. Click and lock quick-fit installation system





CLEAR 6 Single Sliding Door

BRUSHED BRASS



1400 x 900mm Single Sliding Door with Side Panel

Door Opening



1400mm Single Sliding Door in Recess

- 1950mm enclosure height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glasst
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price
1000mm	388	960-990	CASLFC1000	£890
1100mm	438	1060-1090	CASLFC1100	£900
1200mm	488	1160-1190	CASLFC1200	£930
1400mm	588	1360-1390	CASLFC1400	£1030
1500mm	638	1460-1490	CASLFC1500	£1050
1600mm	638	1560-1590	CASLFC1600	£1140

Side Panel

Width	Adjustment	Code	Price
760mm	735-750	CASFBC0760	£460
800mm	775-790	CASFBC0800	£470
900mm	875-890	CASFBC0900	£495
1000mm	975-990	CASFBC1000	£530

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Optional Fittings

Extension profile - 1950 x 25mm

CAEXTPROFILEFC	£110
----------------	------

†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Pivot Door

BRUSHED BRASS



900 x 900mm Pivot Door with Side Panel



Door Opening



900mm Pivot Door in Recess

- 1950mm enclosure height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code	Price
800mm	547	760-790	CAPDFC0800	£750
900mm	647	860-890	CAPDFC0900	£770

Side Panel

Width	Adjustment	Code	Price
760mm	735-750	CASFBC0760	£460
800mm	775-790	CASFBC0800	£470
900mm	875-890	CASFBC0900	£495
1000mm	975-990	CASFBC1000	£530

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Optional Fittings

Extension profile - 1950 x 25mm

CAEXTPROFILEFC	£110
----------------	------

CLEAR 6 Infold Door

BRUSHED BRASS



900 x 900mm Infold Door with Side Panel

Door Opening



900mm Infold Door in Recess

- 1950mm enclosure height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Smooth double rollers & removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	Price
760mm	578	720-750	CAIDFC0760	£845
800mm	618	760-790	CAIDFC0800	£855
900mm	718	860-890	CAIDFC0900	£895
1000mm	819	960-990	CAIDFC1000	£945

Side Panel

Width	Adjustment	Code	Price
760mm	735-750	CASFBC0760	£460
800mm	775-790	CASFBC0800	£470
900mm	875-890	CASFBC0900	£495
1000mm	975-990	CASFBC1000	£530

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm	
CAEXTPROFILEFC	£110

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Quadrant Single Door

BRUSHED BRASS



900mm Quadrant Single Door

Door Opening



1000 x 800mm Offset Quadrant Single Door

- 1950mm enclosure height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release smooth double rollers, concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
800mm	480	770-785	CAQSFC0800	£990
900mm	480	870-885	CAQSFC0900	£1050

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
1000 x 800mm	480	770-785/970-985	CAQSFC10X8	£1080
1200 x 800mm	480	770-785/1170-1185	CAQSFC12X8	£1160
1200 x 900mm	480	870-885/1170-1185	CAQSFC12X9	£1160

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158



CLEAR 6 Single Sliding Door

MATT BLACK



1400 x 900mm Single Sliding Door with Side Panel



Door Opening



1400mm Single Sliding Door in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price
1000mm	388	960-990	CASLBC1000	£790
1100mm	438	1060-1090	CASLBC1100	£800
1200mm	488	1160-1190	CASLBC1200	£810
1400mm	588	1360-1390	CASLBC1400	£900
1500mm	638	1460-1490	CASLBC1500	£950
1600mm	638	1560-1590	CASLBC1600	£1035

Side Panel

Width	Adjustment	Code	Price
760mm	735-750	CASPBC0760	£400
800mm	775-790	CASPBC0800	£410
900mm	875-890	CASPBC0900	£435
1000mm	975-990	CASPBC1000	£465

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm	
CAEXTPROFILEBC	£95

†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Pivot Door

MATT BLACK



900 x 900mm Pivot Door with Side Panel

Door Opening



900mm Pivot Door in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code	Price
800mm	547	760-790	CAPDBC0800	£650
900mm	647	860-890	CAPDBC0900	£670

Side Panel

Width	Adjustment	Code	Price
760mm	735-750	CASPBC0760	£400
800mm	775-790	CASPBC0800	£410
900mm	875-890	CASPBC0900	£435
1000mm	975-990	CASPBC1000	£465

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm

CAEXTPROFILEBC	£95
----------------	-----



CLEAR 6 Infold Door

MATT BLACK



900 x 900mm Infold Door with Side Panel

Door Opening



900mm Infold Door in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Smooth double rollers & removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	Price
760mm	578	720-750	CAIDBC0760	£750
800mm	618	760-790	CAIDBC0800	£780
900mm	718	860-890	CAIDBC0900	£810
1000mm	819	960-990	CAIDBC1000	£825

Side Panel

Width	Adjustment	Code	Price
760mm	735-750	CASPBC0760	£400
800mm	775-790	CASPBC0800	£410
900mm	875-890	CASPBC0900	£435
1000mm	975-990	CASPBC1000	£465

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm	
CAEXTPROFILEBC	£95

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Bi-fold Door

MATT BLACK



900 x 900mm Bi-fold with Side Panel

Door Opening



900mm Bi-fold Door in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Discreet hinge system with magnetic closing
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Bi-fold Door

Width	Door Opening	Adjustment	Code	Price
800mm	491	760-790	CABFBC0800	£775
900mm	595	860-890	CABFBC0900	£810
1000mm	692	960-990	CABFBC1000	£890

Side Panel

Width	Adjustment	Code	Price
760mm	735-750	CASPBC0760	£400
800mm	775-790	CASPBC0800	£410
900mm	875-890	CASPBC0900	£435
1000mm	975-990	CASPBC1000	£465

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm	
CAEXTPROFILEBC	£95




CLEAR 6 Quadrant Single Door

MATT BLACK



900mm Quadrant Single Door



Door Opening



1000 x 800mm Offset Quadrant Single Door

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release smooth double rollers, concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
800mm	480	770-785	CAQSBC0800	£900
900mm	480	870-885	CAQSBC0900	£930

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
1000 x 800mm	480	770-785/970-985	CAQSBC10X8	£980
1200 x 800mm	480	770-785/1170-1185	CAQSBC12X8	£1030
1200 x 900mm	480	870-885/1170-1185	CAQSBC12X9	£1070

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Single Sliding Door



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price
1000mm	388	960-990	CASLSC1000	£710
1100mm	438	1060-1090	CASLSC1100	£710
1200mm	488	1160-1190	CASLSC1200	£745
1400mm	588	1360-1390	CASLSC1400	£815
1500mm	638	1460-1490	CASLSC1500	£820

Side Panel

Width	Adjustment	Code	Price
700mm	675-690	CASPSC0700	£325
760mm	735-750	CASPSC0760	£335
800mm	775-790	CASPSC0800	£345
900mm	875-890	CASPSC0900	£365
1000mm	975-990	CASPSC1000	£395

The moving door must only close against a side panel

†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm

CAEXTPROFILESC	£70
----------------	-----




CLEAR 6 Hinged Door



800 x 900mm Hinged Door with Side Panel

Door Opening



800mm Hinged Door in Recess

- 1980mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 20–30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Rise and fall 180° hinge built into profile
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	Price
800mm	672	770–790	CAHDSC0800	£500
900mm	772	870–890	CAHDSC0900	£510

Side Panel

Width	Adjustment	Code	Price
700mm	675–690	CASPSC0700	£325
760mm	735–750	CASPSC0760	£335
800mm	775–790	CASPSC0800	£345
900mm	875–890	CASPSC0900	£365
1000mm	975–990	CASPSC1000	£395

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile for hinged door	
CAEXTHINGESC	£90


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Pivot Door



900 x 900mm Pivot Door with Side Panel

Door Opening



1000mm Pivot Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Hinges built into profile & removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code	Price
760mm	507	720-760	CAPDSC0760	£520
800mm	547	760-790	CAPDSC0800	£550
900mm	647	860-890	CAPDSC0900	£560
1000mm	647	960-990	CAPDSC1000	£585

Side Panel

Width	Adjustment	Code	Price
700mm	675-690	CASPSC0700	£325
760mm	735-750	CASPSC0760	£335
800mm	775-790	CASPSC0800	£345
900mm	875-890	CASPSC0900	£365
1000mm	975-990	CASPSC1000	£395

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm

CAEXTPROFILESC	£70
----------------	-----

CLEAR 6 Infold Door



900 x 900mm Infold Door with Side Panel

Door Opening



900mm Infold Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Hinges built into profile & removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	Price
700mm	518	660-690	CAIDSC0700	£595
760mm	578	720-750	CAIDSC0760	£625
800mm	618	760-790	CAIDSC0800	£650
900mm	718	860-890	CAIDSC0900	£700
1000mm	819	960-990	CAIDSC1000	£780

Side Panel

Width	Adjustment	Code	Price
700mm	675-690	CASPSC0700	£325
760mm	735-750	CASPSC0760	£335
800mm	775-790	CASPSC0800	£345
900mm	875-890	CASPSC0900	£365
1000mm	975-990	CASPSC1000	£395

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm	
CAEXTPROFILESC	£70

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Bi-fold Door



900 x 900mm Bi-fold with Side Panel



Door Opening



900mm Bi-fold Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Discreet hinge system with magnetic closing
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Bi-fold Door

Width	Door Opening	Adjustment	Code	Price
760mm	491	720-750	CABFSC0760	£610
800mm	491	760-790	CABFSC0800	£650
900mm	595	860-890	CABFSC0900	£680
1000mm	692	960-990	CABFSC1000	£745

Side Panel

Width	Adjustment	Code	Price
700mm	675-690	CASPSC0700	£325
760mm	735-750	CASPSC0760	£335
800mm	775-790	CASPSC0800	£345
900mm	875-890	CASPSC0900	£365
1000mm	975-990	CASPSC1000	£395

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm


CAEXTPROFILESC	£70
----------------	-----



CLEAR 6 Quadrant Single Door



900mm Quadrant Single Door



Door Opening



1200 x 900mm Offset Quadrant Single Door

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible for left or right hand entry
- 15mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers, concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
800mm	480	770-785	CAQSSC0800	£750
900mm	480	870-885	CAQSSC0900	£820

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
1000 x 800mm	480	770-785/970-985	CAQSSC10X8	£885
1200 x 800mm	480	770-785/1170-1185	CAQSSC12X8	£920
1200 x 900mm	480	870-885/1170-1185	CAQSSC12X9	£940

Recommended Tray


Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Quadrant Double Doors



900mm Quadrant Double Doors



Door Opening



900mm Quadrant Double Doors

- 1950mm enclosure height
- Silver anodised aluminium finish
- 15mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers and secure magnetic seal closing
- Concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Double Doors

Width	Door Opening	Adjustment	Code	Price
800mm	455	770-785	CAQDS0800	£770
900mm	555	870-885	CAQDS0900	£820

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158





KAI 6

Unrivalled engineering, design and outstanding value for money are the underlying characteristics of KAI 6.

Gently contoured silver anodised aluminium profiles with 6mm toughened glass offer plenty of adjustment for out of square walls.

A broad choice of door opening styles and sizes make KAI 6 ideal for smaller bathrooms where form and function are of equal importance.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Sliding Doors p 146

Pivot Doors p 147

Bi-fold Doors p 148

Quadrant Enclosures p 149

Corner Entry Enclosures p 151



KAI 6

Product Highlights

1. Seamless wall profiles with concealed fixings
2. Stylish pivot hinge and covered profile cap
3. Free running double roller system with height adjustment
4. Simple, quick-release, easy-clean quadrant rollers
5. Comfortable, modern chrome finish handle with internal grasp
6. 180° pivot door hinge
7. Smooth opening, space-saving bi-fold door option





KAI 6 Single Sliding Door



1000 x 800mm Single Sliding Door with Side Panel

Door Opening



1000mm Single Sliding Door in Recess

- 1900mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	Price
1000mm	391	960-1000	KLSLSC1000	£425
1100mm	441	1060-1100	KLSLSC1100	£435
1200mm	491	1160-1200	KLSLSC1200	£470
1400mm	591	1360-1400	KLSLSC1400	£495
1500mm	591	1460-1500	KLSLSC1500	£515

Side Panel

Width	Adjustment	Code	Price
760mm	730-750	KLSPSC0760	£220
800mm	770-790	KLSPSC0800	£235
900mm	870-890	KLSPSC0900	£245

The moving door must only close against a side panel

Recommended Tray

Range	Page
45mm Edge Waste Shower Trays	158

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

KAI 6 Pivot Door



800 x 800mm Pivot Door with Side Panel

Door Opening



800mm Pivot Door in Recess

- 1900mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Inward and outward door opening
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code	Price
760mm	562	720-760	KLPDSC0760	£355
800mm	602	760-800	KLPDSC0800	£365
900mm	702	860-900	KLPDSC0900	£395

Side Panel

Width	Adjustment	Code	Price
760mm	730-750	KLSPSC0760	£220
800mm	770-790	KLSPSC0800	£235
900mm	870-890	KLSPSC0900	£245

The moving door must only close against a side panel

Recommended Tray

Range	Page
45mm Edge Waste Shower Trays	158



KAI 6 Bi-fold Door



900 x 900mm Bi-fold Door with Side Panel

Door Opening



900mm Bi-fold Door in Recess

- 1900mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Bi-fold Door

Width	Door Opening	Adjustment	Code	Price
760mm	507	720-760	KLBFSC0760	£485
800mm	547	760-800	KLBFSC0800	£485
900mm	647	860-900	KLBFSC0900	£510

Side Panel

Width	Adjustment	Code	Price
760mm	730-750	KLSPSC0760	£220
800mm	770-790	KLSPSC0800	£235
900mm	870-890	KLSPSC0900	£245

The moving door must only close against a side panel

Recommended Tray

Range	Page
45mm Edge Waste Shower Trays	158

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

KAI 6 Quadrant Single Door



800mm Quadrant Single Door

Door Opening



1000 x 800mm Offset Quadrant Single Door

- 1900mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 20mm width adjustment for easy fitting
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
800mm	420	770-760/770-790	KLQSSC0800	£555
900mm	472	870-890/870-890	KLQSSC0900	£595

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code	Price
1000 x 800mm	420	770-790/970-990	KLQSSC10X8	£605
1200 x 800mm	420	770-790/1170-1190	KLQSSC12X8	£615
1200 x 900mm	420	870-890/1170-1190	KLQSSC12X9	£645

Recommended Tray

Range	Page
45mm Edge Waste Shower Trays	158



KAI 6 Quadrant Double Doors



800mm Quadrant Double Doors

Door Opening



800mm Quadrant Double Doors

- 1900mm enclosure height
- Silver anodised aluminium finish
- 20mm width adjustment for easy fitting
- Quick release double rollers
- Secure magnetic seal closing
- Concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Double Doors				
Width	Door Opening	Adjustment	Code	Price
800mm	401	770-790/770-790	KLQDS0800	£565
900mm	540	870-890/870-890	KLQDS0900	£585

Recommended Tray	
Range	Page
45mm Edge Waste Shower Trays	158

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

KAI 6 Corner Entry Enclosure



900mm Corner Entry Enclosure

Door Opening



900mm Corner Entry Enclosure

- 1900mm enclosure height
- Silver anodised aluminium finish
- Sliding doors
- 20mm width adjustment for easy fitting
- Quick release double rollers
- Secure magnetic seal closing
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Corner Entry Enclosure

Width	Door Opening	Adjustment	Code	Price
760mm	372	730-750/730-750	KLCESC0760	£525
800mm	400	770-790/770-790	KLCESC0800	£555
900mm	471	870-890/870-890	KLCESC0900	£615

Recommended Tray

Range	Page
45mm Edge Waste Shower Trays	158



25MM CREO Shower Trays



Engineered Stone
Construction



Low Profile
Shower tray



Lifetime Guarantee*
Peace of mind

- Manufactured from 75% crushed Dolomite rock in a factory powered by 100% green energy.
- Engineered stone construction with anti-bacterial, easy-clean and repairable nano gel coating.
- 60mm outer flat edge and drain gully are almost invisible to the eye.
- Smooth and warm to the touch, with excellent thermal and sound insulation to give you the most relaxing shower possible.
- Flush fitting, colour-matched white stainless steel central waste cover for ultimate comfort.
- Dedicated waste instantly removes water (32 lpm), ensuring no pooling.
- Fully complies with BS EN 274-1:2002, with DIN 51097 class A anti-slip rating.
- Suitable for fitting directly on a floor, flush for level access solution or raised (using our optional riser leg set).
- Trays can be cut on-site, if needed, to accommodate obstructions like soil pipe boxing.



Square

Size	Code	Price
800 x 800mm	CRS800X800W	£260
900 x 900mm	CRS900X900W	£270



Rectangular

Size	Code	Price
760 x 1200mm	CRR760X1200W	£290
760 x 1400mm	CRR760X1400W	£470
800 x 1000mm	CRR800X1000W	£270
800 x 1100mm	CRR800X1100W	£285
800 x 1200mm	CRR800X1200W	£300
800 x 1400mm	CRR800X1400W	£470
800 x 1500mm	CRR800X1500W	£485
800 x 1600mm	CRR800X1600W	£495
800 x 1700mm	CRR800X1700W	£510
900 x 1000mm	CRR900X1000W	£270
900 x 1100mm	CRR900X1100W	£285
900 x 1200mm	CRR900X1200W	£310
900 x 1400mm	CRR900X1400W	£470
900 x 1500mm*	CRR900X1500W	£485
900 x 1600mm*	CRR900X1600W	£495
900 x 1700mm*	CRR900X1700W	£510

*Nominal height up to 29mm



Quadrant

Size	Code	Price
800mm Quad	CRQ800X800W	£260
900mm Quad	CRQ900X900W	£270



Right hand tray



Left hand tray

Offset Quadrant

Size	Code	Price
800 x 1000mm (R)	CRQ800X1000RHW	£390
800 x 1000mm (L)	CRQ800X1000LHW	£390
800 x 1200mm (R)	CRQ800X1200RHW	£410
800 x 1200mm (L)	CRQ800X1200LHW	£410
900 x 1200mm (R)	CRQ900X1200RHW	£470
900 x 1200mm (L)	CRQ900X1200LHW	£470

Required Waste

Finish	Code	Price
White	CRHFWS90_V2	£55

50mm water seal to comply to Building Regulations

Optional Riser Leg Set

Size	Code	Price
8 Leg Riser Kit	TRAY25MMLEGSET8	£45

These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.





25MM VITO Shower Trays



Engineered Stone
Construction



Low Profile
Shower tray



Lifetime Guarantee*
Peace of mind

- Manufactured from 75% crushed Dolomite rock in a factory powered by 100% green energy.
- Engineered stone construction with anti-bacterial, easy-clean and repairable nano gel coating.
- 60mm outer flat edge and drain gully are almost invisible to the eye.
- Smooth and warm to the touch, with excellent thermal and sound insulation to give you the most relaxing shower possible
- Flush fitting, colour match white stainless steel linear waste cover for ultimate comfort.
- Dedicated waste instantly removes water (32 lpm), ensuring no pooling.
- Fully complies with BS EN 274-1:2002, with DIN 51097 class A anti-slip rating.
- Suitable for fitting directly on a floor, flush for level access solution or raised (using our optional riser leg set).
- Trays can be cut on-site, if needed, for speedy installation.



Square

Size	Code	Price
900 x 900mm	VTS900W	£311



Rectangular

Size	Code	Price
760 x 1200mm	VTR760X1200W	£346
800 x 1000mm	VTR800X1000W	£326
800 x 1100mm	VTR800X1100W	£346
800 x 1200mm	VTR800X1200W	£366
800 x 1400mm	VTR800X1400W	£556
800 x 1500mm	VTR800X1500W	£561
800 x 1600mm	VTR800X1600W	£591
800 x 1700mm	VTR800X1700W	£616
900 x 1100mm	VTR900X1100W	£366
900 x 1200mm	VTR900X1200W	£376
900 x 1400mm	VTR900X1400W	£561
900 x 1500mm	VTR900X1500W	£571
900 x 1700mm	VTR900X1700W	£626

Required Waste

Finish	Code	Price
Grey	VTHFWS90	£59

Optional Riser Leg Set

Size	Code	Price
8 Leg Riser Kit	TRAY25MMLEGSET8	£45

These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm.


*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.





Tray Profile



Waste Position



45MM Edge Waste Shower Trays



Made in
Great Britain



Acrylic Capped
Stone resin tray



Lifetime Guarantee*
Peace of mind

- Acrylic capped stone resin construction.
- Antibacterial, easy clean and repairable coating.
- 50mm outer flat edge.
- High-flow 90mm waste outlet removes water quickly (30 lpm), ensuring no pooling.
- Edge waste position - dedicated shower waste must be ordered separate, see below for choice of finishes.
- Suitable for fitting directly on concrete or wooden floors or can be raised (using optional panel riser kit).
- EN14527:2006 Class 1 compliant. EN15720:2009 compliant.



Square

Size	Code	Price
760 x 760mm	SR000S760	£160
800 x 800mm	SR000S800	£200
900 x 900mm	SR000S900	£230



Rectangular

Size	Code	Price
700 x 1200mm	SR0R7001200	£310
760 x 1200mm	SR0R71200	£295
800 x 1000mm	SR0R81000	£285
800 x 1100mm	SR0R81100	£285
800 x 1200mm	SR0R81200	£310
800 x 1400mm	SR0R81400	£415
800 x 1500mm	SR0R81500	£465
800 x 1600mm	SR0R81600	£495
900 x 1200mm	SR0R91200	£345
900 x 1400mm	SR0R91400	£465
900 x 1500mm	SR0R91500	£465
900 x 1600mm	SR0R91600	£495

Optional Panel Riser Kit (inc feet)

	Size	Code	Price
Rectangular panel riser kit	900 x 1658 x 85mm	SRRP91680	£125
Quadrant panel riser kit	900 x 900 x 85mm	SRRPQ900	£145
Quadrant panel riser kit	900 x 1200 x 85mm	SRRPQ91200	£145

The riser kits incorporates specifically moulded sockets for accurate and reliable leg location. Easy fit assembly ensures completion in minutes.

These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm.

*Subject to online registration



Quadrant

Size	Code	Price
800mm Quad	SR000Q800	£230
900mm Quad	SR000Q900	£240



Right hand tray



Left hand tray

Offset Quadrant

Size	Code	Price
800 x 1000mm (R)	SRQ81000RH	£310
800 x 1000mm (L)	SRQ81000LH	£310
800 x 1200mm (R)	SRQ81200RH	£335
800 x 1200mm (L)	SRQ81200LH	£335
900 x 1200mm (R)	SRQ91200RH	£400
900 x 1200mm (L)	SRQ91200LH	£400




Required High Flow Waste

Colour	Code	Price
Chrome	STHFW6190	£39
Matt Black	STHFW6190MB	£50
Brushed Brass	STHFW6190F	£65
Brushed Stainless Steel Effect	STHFW6190V	£60
Brushed Bronze	STHFW6190BZ	£65
Slate	STHFW6190T	£59





Tray Profile



Anti-Slip Surface Test



35MM Anti Slip Acrylic Shower Trays



Acrylic
Shower tray



Lifetime Guarantee*
Peace of mind

- Anti-bacterial acrylic capped construction with steel reinforcing frame.
- Impregnated anti microbial zeomic agent protects against bacteria and suppresses mould growth.
- Anti-slip surface is integrated directly into the shower tray and conform to BS7976-2. Market leading DIN51097 class C anti-slip rating.
- High-flow 90mm waste outlet removes water quickly (30 lpm), ensuring no pooling.
- Dedicated shower waste must be ordered separate, see below for choice of finishes.
- Suitable for fitting directly on concrete or wooden floors or can be raised (using optional panel riser kit).



Walk In

Size	Panel Pack	Code	Price
800 x 1700mm	B	GPWK81700	£449
900 x 1400mm	B	GPWK91400	£369



Central waste



Corner waste

Rectangular

Size	Waste	Panel Pack	Code	Price
700 x 1600mm	Central	B	GP0R71600	£395
700 x 1700mm	Central	B	GP0R71700	£409
760 x 1700mm	Central	B	GP0R76170	£419
800 x 1200mm	Central	B	GP0R81200	£345
800 x 1400mm	Central	B	GP0R81400	£365
800 x 1500mm	Central	B	GP0R81500	£385
800 x 1600mm	Central	B	GP0R81600	£399
800 x 1800mm	Central	-	GP0R81800	£669
900 x 1200mm	Central	B	GP0R91200	£349
900 x 1500mm	Central	B	GP0R91500	£389
900 x 1700mm	Central	B	GP0R91700	£475
900 x 1800mm	Central	-	GP0R91800	£679



Required High Flow Waste

Colour	Code	Price
Chrome	STHFW6190	£39
Matt Black	STHFW6190MB	£50
Brushed Brass	STHFW6190F	£65
Brushed Stainless Steel Effect	STHFW6190V	£60
Brushed Bronze	STHFW6190BZ	£65
Slate	STHFW6190T	£59


Optional Panel Riser Kit (inc feet)

Pack	Code	Price	Pack	Code	Price
A	ZP1 + ZL1	£128	G	ZP4 + ZL5	£118
B	ZP2 + ZL2	£158	H	ZP1 + ZL4	£128
D	ZP4 + ZL4	£108	J	ZP5 + ZL4	£138
E	ZP5 + ZL3	£148			





Tray Profile



35MM Acrylic Shower Trays



Acrylic
Shower tray



Lifetime Guarantee*
Peace of mind

- Anti-bacterial acrylic capped construction with steel reinforcing frame.
- Impregnated anti microbial zeomic agent protects against bacteria and suppresses mould growth.
- High-flow 90mm waste outlet removes water quickly (30 lpm), ensuring no pooling.
- Dedicated shower waste must be ordered separate, see below for choice of finishes.
- Suitable for fitting directly on concrete or wooden floors or can be raised (using optional panel riser kit).



Square

Size	Panel Pack	Code	Price
800 x 800mm	H	ST000S800	£145
900 x 900mm	H	ST000S900	£165



Quadrant

Size	Panel Pack	Code	Price
900mm Quad	D	ST000Q900	£165



Walk In

Size	Panel Pack	Code	Price
800 x 1700mm	B	STWK81700	£369



Required High Flow Waste

Colour	Code	Price
Chrome	STHFW6190	£39
Matt Black	STHFW6190MB	£50
Brushed Brass	STHFW6190F	£65
Brushed Stainless Steel Effect	STHFW6190V	£60
Brushed Bronze	STHFW6190BZ	£65
Slate	STHFW6190T	£59



Central waste



Corner waste

Rectangular

Size	Waste	Panel Pack	Code	Price
760 x 1200mm	Central	B	ST0R71200	£249
800 x 1200mm	Central	B	ST0R81200	£255
800 x 1400mm	Central	B	ST0R81400	£295
800 x 1500mm	Central	B	ST0R81500	£315
800 x 1800mm	Central	-	ST0R81800	£355
900 x 1200mm	Central	B	ST0R91200	£259
900 x 1500mm	Central	B	ST0R91500	£325
800 x 900mm	Corner	H	ST00R8900	£169
800 x 1000mm	Corner	A	ST0R81000	£185
900 x 1000mm	Corner	A	ST0R91000	£199
900 x 1100mm	Corner	B	ST0R91100	£239

Optional Panel Riser Kit (inc feet)

Pack	Code	Price	Pack	Code	Price
A	ZP1 + ZL1	£128	G	ZP4 + ZL5	£118
B	ZP2 + ZL2	£158	H	ZP1 + ZL4	£128
D	ZP4 + ZL4	£108	J	ZP5 + ZL4	£138
E	ZP5 + ZL3	£148			



OPTIX 10 Single with Inline Panel

BRUSHED BRONZE



900mm Single with Inline Panel



900mm Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Brushed bronze PVD finish
- 15mm width adjustment for easy fitting



Toughened Glass
Strong and safe



Protective Finish
Easy to clean




Lifetime Guarantee*
Peace of mind


90° Single with Inline Panel

Width	Adjustment	Code	Price
900mm Left	900-915	OXBDBZC0900L	£729
900mm Right	900-915	OXBDBZC0900R	£729

We recommend the bath ledge is flat and a minimum of 70mm width.




Door Opening




180° Single with Inline Panel

Width	Adjustment	Code	Price
900mm Left	900-915	OXBDHBZC0900L	£975
900mm Right	900-915	OXBDHBZC0900R	£975

We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening



OPTIX 10 Single with Inline Panel

SLATE



900mm Single with Inline Panel



900mm Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Slate PVD finish
- 15mm width adjustment for easy fitting



Toughened Glass
Strong and safe



Protective Finish
Easy to clean




Lifetime Guarantee*
Peace of mind


90° Single with Inline Panel

Width	Adjustment	Code	Price
900mm Left	900-915	OXB DTC0900L	£790
900mm Right	900-915	OXB DTC0900R	£790

We recommend the bath ledge is flat and a minimum of 70mm width.




Door Opening




180° Single with Inline Panel

Width	Adjustment	Code	Price
900mm Left	900-915	OXB DHTC0900L	£1060
900mm Right	900-915	OXB DHTC0900R	£1060

We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening



OPTIX 10 Single with Inline Panel

BRUSHED BRASS



900mm Right Handed Single with Inline Panel



900mm right Handed Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Brushed brass PVD finish
- 15mm width adjustment for easy fitting



Toughened Glass
Strong and safe



Protective Finish
Easy to clean




Lifetime Guarantee*
Peace of mind


90° Single with Inline Panel

Width	Adjustment	Code	Price
900mm Left	900-915	OXBDFC0900L	£790
900mm Right	900-915	OXBDFC0900R	£790

We recommend the bath ledge is flat and a minimum of 70mm width.




Door Opening




180° Single with Inline Panel

Width	Adjustment	Code	Price
900mm Left	900-915	OXBDHFC0900L	£1060
900mm Right	900-915	OXBDHFC0900R	£1060

We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening



OPTIX 10 Single with Inline Panel

BRUSHED STAINLESS STEEL



900mm Right Handed Single with Inline Panel



900mm Right Handed Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Brushed stainless steel finish
- 15mm width adjustment for easy fitting



Toughened Glass
Strong and safe



Protective Finish
Easy to clean




Lifetime Guarantee*
Peace of mind


90° Single with Inline Panel

Width	Adjustment	Code	Price
900mm Left	900-915	OXBDVC0900L	£790
900mm Right	900-915	OXBDVC0900R	£790

We recommend the bath ledge is flat and a minimum of 70mm width.




Door Opening




180° Single with Inline Panel

Width	Adjustment	Code	Price
900mm Left	900-915	OXBDHVC0900L	£1060
900mm Right	900-915	OXBDHVC0900R	£1060

We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening



OPTIX 10 Single with Inline Panel

POLISHED STAINLESS STEEL



900mm Right Handed Single with Inline Panel



900mm Right Handed Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Polished 304 stainless steel finish
- 15mm width adjustment for easy fitting



Toughened Glass
Strong and safe



Protective Finish
Easy to clean




Lifetime Guarantee*
Peace of mind


90° Single with Inline Panel

Width	Adjustment	Code	Price
900mm Left	900-915	OXBDSC0900L	£700
900mm Right	900-915	OXBDSC0900R	£700

We recommend the bath ledge is flat and a minimum of 70mm width.




Door Opening




180° Single with Inline Panel

Width	Adjustment	Code	Price
900mm Left	900-915	OXBDHSC0900L	£855
900mm Right	900-915	OXBDHSC0900R	£855

We recommend the bath ledge is flat and a minimum of 70mm width.




Door Opening





ASURA 8 Single Panel



850mm Single Panel

Door Opening



- 1500mm screen height
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed profile
- Rotates 180° opening inwards and outwards
- Rise and fall pivot hinge
- Hard wearing PVD finish (Brushed Bronze, Slate, Brushed Brass, Brushed Stainless Steel finishes)
- Hard wearing Polished Stainless Steel (Polished Stainless Steel finish)
- Durable Matt Black powder coated finish (Matt Black finish)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Panel

Finish	Width	Adjustment	Code	Price	
Brushed Bronze	875mm	875–890mm	AUBSBZC0900	£575	NEW
Slate	875mm	875–890mm	AUBSTC0900	£575	NEW
Brushed Brass	875mm	875–890mm	AUBSFC0900	£575	NEW
Brushed Stainless Steel	875mm	875–890mm	AUBSVC0900	£575	NEW
Polished Stainless Steel	875mm	875–890mm	AUBSCC0900	£490	NEW
Matt Black	875mm	875–890mm	AUBSBC0900	£525	NEW

DESIGN 8 Single Panel



850mm Single Panel

Door Opening



850mm Single Panel

- 1500mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Rotates 180° opening inwards and outwards
- Rise and fall pivot hinge
- Concealed profile



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Panel

Finish	Width	Adjustment	Code	Price
Silver	850mm	850-870mm	DBSSC0850	£325

† Moving door is 6mm toughened glass, the second panel is 8mm toughened glass.

*Subject to online registration


All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



DESIGN 8 Double Panel



1060mm Double Panel



Door Opening



1060mm Double Panel

- 1500mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Second panel rotates 270°, outward opening
- Rise and fall pivot hinge
- Concealed profile



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Double Panel

Finish	Width	Adjustment	Code	Price
Silver	1060mm	1060–1080mm	DBDSC1060_V2	£475

† Moving door is 6mm toughened glass, the fixed panel is 8mm toughened glass.

DESIGN 8 Double Panel Fully Folding



1060mm Double Panel Fully Folding

Door Opening



1060mm Double Panel Fully Folding

- 1500mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Second panel 90° hinge rotation, outward opening
- Screen folds away flat to the wall
- Concealed profile



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Double Panel Fully Folding

Finish	Width	Adjustment	Code	Price
Silver	1060mm	1060-1080mm	DBVSC1060_V2	£635

CLEAR 6 Fixed Single Panel



900mm Fixed Single Panel in Matt Black



900mm Fixed Single Panel in Silver

- 1500mm screen height
- Matt Black or Silver anodised aluminium finish
- Reversible panel for left or right hand entry
- Concealed profile



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Panel

Finish	Width	Adjustment	Code	Price
Matt Black	900mm	900–920mm	CABSBC0900	£400
Silver	900mm	900–920mm	CABSSC0900	£335

CLEAR 6 Single Panel



800mm Single Panel in Matt Black

Door Opening



800mm Single Panel in Silver



- 1500mm screen height
- Matt Black or Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 180° hinge rotation
- Rise and fall hinge
- Concealed profile



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Panel

Finish	Width	Adjustment	Code	Price
Matt Black	800mm	800-820mm	CABSBC0800	£420
Silver	800mm	800-820mm	CABSSC0800	£350



CLEAR 6 Double Panel



1150mm Double Panel

Door Opening



1150mm Double Panel



- 1500mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Second panel rotates 180°, opening inwards and outwards
- Concealed profile
- Complete with fixed panel bracing bar



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Double Panel				
Finish	Width	Adjustment	Code	Price
Silver	1150mm	1150–1170mm	CABDSC1150	£435

CLEAR 6 Double Panel Fully Folding



1150mm Double Panel Fully Folding

Door Opening



- 1500mm screen height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- Rotates 180° opening inwards
- Concealed profile
- Complete with fixed panel bracing bar



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind


Single Panel

Finish	Width	Adjustment	Code	Price
Brushed Brass	1150mm	1150-1170mm	CADBSFC1150	£595

KAI 6 Single Panel



900mm Single Panel



Door Opening



900mm Single Panel



- 1500mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Rotates 180° opening inwards and outwards
- Concealed profile



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Panel

Width	Adjustment	Code	Price
900mm	880-900mm	KLBSSC0900	£255

KAI 6 Single Hinged Panel



875mm Single Hinged Panel

Door Opening



875mm Single Hinged Panel

- 1380mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 90° hinge rotation, outwards
- Concealed profile



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Hinged Panel


Width	Adjustment	Code	Price
700mm	694–714mm	KLBSSC0650	£255
875mm	854–874mm	KLBSSC0875	£265



KAI 6 Four Panel Fully Folding



800mm Right Handed Four Panel Fully Folding



Door Opening



800mm Right Handed Four Panel Fully Folding

- 1502mm screen height
- Silver anodised aluminium finish
- Folds away to 230mm width



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Four Panel Fully Folding

Width	Adjustment	Code	Price
800mm Left Hand	805-820mm	KLFBSSC0800L	£365
800mm Right Hand	805-820mm	KLFBSSC0800R	£365

KAI 6 Bath Guard



210mm Bath Guard

- 1280mm screen height
- Silver anodised aluminium finish
- Reversible panel for left or right hand entry



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Bath Guard

Width	Adjustment	Code	Price
210mm	205–225mm	KLBSSC0210	£160
350mm	345–365mm	KLBSSC0350	£200



CARNE Freestanding Bath



Carne Grande Bath



- Gloss finish
- Available in two sizes
- Supplied with overflow
- Baths are made from 4mm thick acrylic inner and encapsulated base board
- Conforms to BS EN 14516:2006
- Compatible with freestanding taps
- Supplied with matching white waste



10 Year Guarantee*
Peace of mind

Carne Grande Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1700 W: 800 H: 600 mm	43 kg	199 litres	FSBCAR1775W	£1195 NEW

Carne Petite Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1500 W: 750 H: 600 mm	38 kg	150 litres	FSBCAR1575W	£1195 NEW

Compatible Wastes

Part	Finish	Code	Price
Click clack bath waste (slotted)	Chrome	BTW0206C	£65 NEW
Click clack bath waste (slotted)	Brushed Bronze	BTW0206BZ	£129 NEW
Click clack bath waste (slotted)	Slate	BTW0206T	£129 NEW
Click clack bath waste (slotted)	Brushed Brass	BTW0206F	£129 NEW
Click clack bath waste (slotted)	Matt Black	BTW0206M	£129 NEW
Click clack bath waste (slotted)	Stainless Steel Effect	BTW0206V	£129 NEW



CERUS Freestanding Bath



Cerus Petite Bath



- Gloss finish
- Available in two sizes
- Supplied with overflow
- Baths are made from 4mm thick acrylic inner and encapsulated base board
- Conforms to BS EN 14516:2006
- Compatible with freestanding taps
- Supplied with matching white waste



10 Year Guarantee*
Peace of mind

Cerus Grande Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1690 W: 800 H: 550 mm	43 kg	281 litres	FSBCER16978W	£1195 NEW

Cerus Petite Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1690 W: 800 H: 550 mm	38 kg	173 litres	FSBCER1578W	£1195 NEW

Compatible Wastes

Part	Finish	Code	Price
Click clack bath waste (slotted)	Chrome	BTW0206C	£65 NEW
Click clack bath waste (slotted)	Brushed Bronze	BTW0206BZ	£129 NEW
Click clack bath waste (slotted)	Slate	BTW0206T	£129 NEW
Click clack bath waste (slotted)	Brushed Brass	BTW0206F	£129 NEW
Click clack bath waste (slotted)	Matt Black	BTW0206M	£129 NEW
Click clack bath waste (slotted)	Stainless Steel Effect	BTW0206V	£129 NEW



*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.

MPRO Freestanding Bath



MPRO Petite Bath



- Available in gloss or matt finish
- Available in two sizes
- Supplied with overflow undrilled
- Made from stone
- Conforms to BS EN 14516:2006
- Compatible with freestanding taps



Stone
Construction



10 Year Guarantee*
Peace of mind

MPRO Grande Bath

Size	Finish	Weight empty	Displaced capacity	Code	Price
L: 1690 W: 800 H: 570 mm	Gloss	84 kg	277 litres	N2ACSCW	£2499
L: 1690 W: 800 H: 570 mm	Matt	84 kg	277 litres	N2ACSMCW	£2673

MPRO Petite Bath

Size	Finish	Weight empty	Displaced capacity	Code	Price
L: 1500 W: 800 H: 570 mm	Gloss	76 kg	218 litres	N1ACSCW	£2367
L: 1500 W: 800 H: 570 mm	Matt	76 kg	218 litres	N1ACSMCW	£2588

Compatible Wastes

Part	Finish	Code	Price
Click clack bath waste (unslotted)	Chrome	CW2CW	£65
Click clack bath waste (unslotted)	Stone Gloss	CW2NCSCW	£119
Click clack bath waste (unslotted)	Stone Matt	CW2NCSMCW	£105
P trap	Chrome	CW3CW	£85
Special waste pack	Chrome	CW11CW	£329

If using underfloor heating please take care not to put the heating pipes/matt underneath the bath area. The bath should not sit on a heated floor.

CURSA Back to Wall Bath



Cursa 1500 Bath



- Gloss finish
- Available in two sizes
- Supplied with overflow
- Baths are made from 4mm thick acrylic inner and encapsulated base board
- Conforms to BS EN 14516:2006
- Compatible with freestanding taps
- Supplied with matching white waste



10 Year Guarantee*
Peace of mind

Cursa Grande Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1690 W: 800 H: 550 mm	43 kg	141 litres	FSBCUR1780W	£1195 NEW

Cursa Petite Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1690 W: 800 H: 550 mm	38 kg	108 litres	FSBCUR1580W	£1195 NEW

Compatible Wastes

Part	Finish	Code	Price
Click clack bath waste (slotted)	Chrome	BTW0206C	£65 NEW
Click clack bath waste (slotted)	Brushed Bronze	BTW0206BZ	£129 NEW
Click clack bath waste (slotted)	Slate	BTW0206T	£129 NEW
Click clack bath waste (slotted)	Brushed Brass	BTW0206F	£129 NEW
Click clack bath waste (slotted)	Matt Black	BTW0206M	£129 NEW
Click clack bath waste (slotted)	Stainless Steel Effect	BTW0206V	£129 NEW



*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



ARTIST Back to Wall Bath



Artist Bath



- Gloss finish
- Available in two sizes
- Supplied with overflow undrilled, template is provided with bath
- Made from stone
- Conforms to BS EN 14516:2006
- Compatible with bath overflow fillers, rim mounted fittings or panel valves. The bath will require drilling to fit a bath filler or bath click clack waste.



Stone
Construction



10 Year Guarantee*
Peace of mind

Artist Grande Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1690 W: 800 H: 550 mm	88.5 kg	204 litres	N3BCSCW	£2499

Tap ledge width 100mm

Artist Petite Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1524 W: 800 H: 550 mm	85 kg	167 litres	N3ACSCW	£2108

Tap ledge width 100mm

Compatible Wastes

Part	Finish	Code	Price
Click clack bath waste (unslotted)	Chrome	CW2CW	£65
Click clack bath waste (unslotted)	Stone	CW2NCSCW	£119
P trap	Chrome	CW3CW	£85
Special waste pack	Chrome	CW11CW	£329
Bath click clack waste	Matt Black	PRO0202M	£109
Bath click clack waste	Brushed Brass	BTW0204F	£145
Bath click clack waste	Brushed Steel Effect	PRO0202V_V2	£109
Bath click clack waste	Carbon Black	PRI0202M	£155
Bath click clack waste	Unlacquered Brushed Brass	PRI0202UB	£149

Compatible Bath Filler with Waste

Finish	Code	Price
Chrome	PRO0351C	£149
Matt Black	PRO0355M	£269
Brushed Steel Effect	PRO0355V_V2	£269
Brushed Brass*	BFW0370F	£419

* Requires extension kit BFW0364

SERENE Back to Wall Bath



Serene Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Baths are made from 3mm reinforced Lucite™ acrylic inner and encapsulated base board
- Bath surrounds are a bright white gelcoat with GRP reinforcement
- Conforms to BS EN 14516:2006
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes

Lucite™ Acrylic
Construction10 Year Guarantee*
Peace of mind

Serene Freestanding Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1700 W: 750 H: 625 mm	32 kg	131 litres	M4NCW & M4BCW	£1235

Please order both codes above if bath surround is required

Compatible Wastes

Range	Page
Bath Click Click Waste	182
Bath Filler with Click Click Waste	182



KAI S Single Ended Bath



Kai S Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Made from 3mm Lucite™ Acrylic with 8mm steel rod and fully reinforced fibreglass
- Conforms to BS EN 14516:2006
- Ideal for use with a bath screen
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes



Lucite™ Acrylic
Construction



10 Year Guarantee*
Peace of mind

Kai S Single Ended Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1700 W: 700 H: 415 mm	23.75 kg	108 litres	R5CW	£450
L: 1700 W: 750 H: 415 mm	24.75 kg	123 litres	R6CW	£485
L: 1700 W: 800 H: 415 mm	27.5 kg	137 litres	R42CW	£550
L: 1800 W: 800 H: 415 mm	28.25 kg	148 litres	R7CW	£560

Bath ledge is undrilled, supplied with height adjustable legs

Front Bath Panel

Size	Code	Price
L: 1700 W: 40 H: 540 mm	R25FCW	£151
L: 1800 W: 40 H: 540 mm	R26FCW	£158

End Bath Panel

Size	Code	Price
L: 700 W: 40 H: 540 mm	R27ECW	£74
L: 750 W: 40 H: 540 mm	R28ECW	£81
L: 800 W: 40 H: 540 mm	R29ECW	£88

Compatible Wastes

Range	Page
Bath Click Click Waste	182
Bath Filler with Click Click Waste	182

Compatible Bath Screens

Range	Page
Optix 10	162
Svelte 8	168
Infinity 8	169
Design 8	171
Clear 6	174
Kai 6	178

Before arranging your choice of deck mounted bath filler you should check the available top ledge available after tiling.

FLOW Single Ended Bath



Flow Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Made from 3mm Lucite™ Acrylic with 8mm steel rod and fully reinforced fibreglass
- Conforms to BS EN 14516:2006
- Ideal for use with a bath screen
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes

Lucite™ Acrylic
Construction10 Year Guarantee*
Peace of mind

Flow Single Ended Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1700 W: 700 H: 370 mm	23.25 kg	77 litres	R13CW	£455
L: 1700 W: 750 H: 370 mm	24.5 kg	82 litres	R52CW	£485
L: 1700 W: 800 H: 370 mm	27 kg	104 litres	R44CW	£550
L: 1800 W: 750 H: 370 mm	27.25 kg	98 litres	R14CW	£600

Front Bath Panel

Size	Code	Price
L: 1700 W: 40 H: 540 mm	R25FCW	£151
L: 1800 W: 40 H: 540 mm	R26FCW	£158

End Bath Panel

Size	Code	Price
L: 700 W: 40 H: 540 mm	R27ECW	£74
L: 750 W: 40 H: 540 mm	R28ECW	£81
L: 800 W: 40 H: 540 mm	R29ECW	£88

Compatible Wastes

Range	Page
Bath Click Click Waste	182
Bath Filler with Click Click Waste	182

Compatible Bath Screens

Range	Page
Optix 10	162
Svelte 8	168
Infinity 8	169
Design 8	171
Clear 6	174
Kai 6	178

Before arranging your choice of deck mounted bath filler you should check the available tap ledge available after tiling.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



KAI X Double Ended Bath



Kai X Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Made from 3mm Lucite™ Acrylic with 8mm steel rod and fully reinforced fibreglass
- Conforms to BS EN 14516:2006
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes



Lucite™ Acrylic
Construction



10 Year Guarantee*
Peace of mind

Kai X Double Ended Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1700 W: 700 H: 415 mm	23.75 kg	91 litres	R1CW	£500
L: 1700 W: 750 H: 415 mm	24.75 kg	108 litres	R2CW	£520
L: 1800 W: 800 H: 415 mm	28.25 kg	145 litres	R3CW	£580

Bath ledge is undrilled, supplied with height adjustable legs

Front Bath Panel

Size	Code	Price
L: 1700 W: 40 H: 540 mm	R25FCW	£151
L: 1800 W: 40 H: 540 mm	R26FCW	£158

End Bath Panel

Size	Code	Price
L: 700 W: 40 H: 540 mm	R27ECW	£74
L: 750 W: 40 H: 540 mm	R28ECW	£81
L: 800 W: 40 H: 540 mm	R29ECW	£88

Compatible Wastes

Range	Page
Bath Click Click Waste	182
Bath Filler with Click Click Waste	182

Before arranging your choice of deck mounted bath filler you should check the available tap ledge available after tiling.

VERGE Double Ended Bath



Verge Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Made from 3mm Lucite™ Acrylic with 8mm steel rod and fully reinforced fibreglass
- Conforms to BS EN 14516:2006
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes

Lucite™ Acrylic
Construction10 Year Guarantee*
Peace of mind

Verge Double Ended Bath

Size	Weight empty	Displaced capacity	Code	Price
L: 1700 W: 700 H: 415 mm	23.75 kg	95 litres	R8CW	£500
L: 1700 W: 750 H: 415 mm	24.75 kg	110 litres	R9CW	£530
L: 1700 W: 800 H: 415 mm	27.5 kg	113 litres	R43CW	£580
L: 1800 W: 750 H: 415 mm	25 kg	119 litres	R46CW	£610
L: 1800 W: 800 H: 415 mm	26.75 kg	138 litres	R10CW	£620

Front Bath Panel

Size	Code	Price
L: 1700 W: 40 H: 540 mm	R25FCW	£151
L: 1800 W: 40 H: 540 mm	R26FCW	£158

End Bath Panel

Size	Code	Price
L: 700 W: 40 H: 540 mm	R27ECW	£74
L: 750 W: 40 H: 540 mm	R28ECW	£81
L: 800 W: 40 H: 540 mm	R29ECW	£88

Compatible Wastes

Range	Page
Bath Click Click Waste	182
Bath Filler with Click Click Waste	182

Before arranging your choice of deck mounted bath filler you should check the available tap ledge available after tiling.

*Subject to online registration

All prices include VAT at 20%, for the most up-to-date pricing please visit our website.



BATH Wastes

Which waste you need will depend on your bath. Please check the compatibility to ensure you select the correct waste for your bath. If you are unsure please talk to your installer, retailer or visit crosswater.co.uk



Bath Click Clack Waste

Finish	Code	Price
Chrome	BTW0202C	£69
Matt Black	PRO0202M	£109
Brushed Brass	BTW0204F	£109
Brushed Steel Effect	PRO0202V_V2	£109
Brushed Bronze	BTW0210BZ	£109
Slate	BTW0210T	£109



Bath Filler with Click Clack Waste

Finish	Code	Price
Chrome	PRO0351C	£149
Matt Black	PRO0355M	£269
Brushed Brass	BFW0370F	£419
Brushed Steel Effect	PRO0355V_V2	£419
Brushed Bronze	BFW0360BZ	£419
Slate	BFW0360T	£419



Solutions for every bathroom

We offer bath click clack wastes to suit a variety of baths. To see our full range please visit crosswater.co.uk

Wastes for freestanding baths



Click Clack Bath Waste (slotted)

Finish	Code	Price
Chrome	BTW0206C	£65 NEW
Brushed Bronze	BTW0206BZ	£129 NEW
Slate	BTW0206T	£129 NEW
Brushed Brass	BTW0206F	£129 NEW
Matt Black	BTW0206M	£129 NEW
Stainless Steel Effect	BTW0206V	£129 NEW

Wastes for Stone baths



Click Clack Bath Waste (unslotted)

Finish	Code	Price
Chrome	CW2CW	£65
Stone Gloss	CW2NCSCW	£119
Stone Matt	CW2NCSCMCW	£105

Compatible with our Stone baths only



P Trap

Finish	Code	Price
Chrome	CW3CW	£85

Compatible with our Stone baths only



Special Waste Pack

Finish	Code	Price
Chrome	CW11CW	£329

For baths without a pre-drilled overflow (inc. click clack waste)

NICHES & Grab Rails



Niche LED 305 x 305

W: 305mm D: 120mm H: 305mm

Finish	Code	Price
Br. Bronze	NI305305LBZ	£230 NEW
Slate	NI305305LT	£230 NEW
Br. Brass	NI305305LF	£230 NEW
Matt Black	NI305305LMB	£230 NEW
St. Steel Effect	NI305305LV	£230 NEW



Niche LED 610 x 305

W: 610mm D: 120mm H: 305mm

Finish	Code	Price
Br. Bronze	NI305610LBZ	£300 NEW
Slate	NI305610LT	£300 NEW
Br. Brass	NI305610LF	£300 NEW
Matt Black	NI305610LMB	£300 NEW
St. Steel Effect	NI305610LV	£300 NEW



Niche 305 x 305

W: 305mm D: 120mm H: 305mm

Finish	Code	Price
Br. Bronze	NI305305BZ	£160 NEW
Slate	NI305305T	£160 NEW
Br. Brass	NI305305F	£160 NEW
Matt Black	NI305305MB	£160 NEW
St. Steel Effect	NI305305V	£160 NEW



Niche 610 x 305

W: 610mm D: 120mm H: 305mm

Finish	Code	Price
Br. Bronze	NI305610BZ	£220 NEW
Slate	NI305610T	£220 NEW
Br. Brass	NI305610F	£220 NEW
Matt Black	NI305610MB	£220 NEW
St. Steel Effect	NI305610V	£220 NEW



Angled Grab Bar & WC Holder

W: 719mm D: 98mm H: 332mm

Finish	Code	Price
Chrome	GBA7232C	£245 NEW
Br. Bronze	GBA7232BZ	£425 NEW
Slate	GBA7232T	£425 NEW
Br. Brass	GBA7232F	£415 NEW
Matt Black	GBA7232M	£325 NEW
St. Steel Effect	GBA7232V	£345 NEW



Grab Bar Handset Holder

W: 118mm D: 40mm H: 63mm

Finish	Code	Price
Chrome	GBH01C	£95 NEW
Br. Bronze	GBH01BZ	£195 NEW
Slate	GBH01T	£195 NEW
Br. Brass	GBH01F	£165 NEW
Matt Black	GBH01M	£115 NEW
St. Steel Effect	GBH01V	£115 NEW



Right Angle Grab Bar

W: 446mm D: 93mm H: 843mm

Finish	Code	Price
Chrome	GBR8343C	£295 NEW
Br. Bronze	GBR8343BZ	£475 NEW
Slate	GBR8343T	£475 NEW
Br. Brass	GBR8343F	£455 NEW
Matt Black	GBR8343M	£325 NEW
St. Steel Effect	GBR8343V	£375 NEW



Straight Grab Bar 400

W: 411mm D: 93mm H: 55mm

Finish	Code	Price
Chrome	GBS400C	£155 NEW
Br. Bronze	GBS400BZ	£295 NEW
Slate	GBS400T	£295 NEW
Br. Brass	GBS400F	£275 NEW
Matt Black	GBS400M	£195 NEW
St. Steel Effect	GBS400V	£225 NEW



Straight Grab Bar 600

W: 611mm D: 93mm H: 55mm

Finish	Code	Price
Chrome	GBS600C	£175 NEW
Br. Bronze	GBS600BZ	£315 NEW
Slate	GBS600T	£315 NEW
Br. Brass	GBS600F	£295 NEW
Matt Black	GBS600M	£215 NEW
St. Steel Effect	GBS600V	£245 NEW



Straight Grab Bar 800

W: 808mm D: 93mm H: 55mm

Finish	Code	Price
Chrome	GBS800C	£195 NEW
Br. Bronze	GBS800BZ	£345 NEW
Slate	GBS800T	£345 NEW
Br. Brass	GBS800F	£325 NEW
Matt Black	GBS800M	£235 NEW
St. Steel Effect	GBS800V	£265 NEW

Product Guidelines

Product Compatibility

While the majority of Crosswater products are compatible, please take care when selecting products before ordering to avoid installation issues.

Trays must be plumbed and level, walls should be tiled down to the tray and sealed before doors or frames are fitted.

Dimensions are designed for tiled in trays, not unfitted tray sizes.

All doors and enclosures must be fitted to a tiled surface, not tiled up to the inside edge of the door.

Enclosures must not be completely sealed on the inside.

Due to the weight of the shower doors, you must ensure that the walls to which they are fixed are of suitable construction to support the enclosure.

Due to the nature of wetroom/walk in panel products, water integrity cannot be guaranteed. Please consult your installer.

All heights printed for shower doors and bath screens are from the top of the shower tray or bath.

Installation

Products must be installed according to our installation instructions, please visit www.crosswater.co.uk for full details.

Cleaning

To maintain the look and performance of your Crosswater shower enclosure, you should:

- Remove any residual water after every use.
- Wipe clean the frame and glass elements with a soft, non-abrasive, colourfast cloth after every use.
- Never use an abrasive cloth or scouring pad which could damage the product.
- Clean the glass gently with warm soapy water and never use any aggressive fluids or strong household cleaning agents which could damage the product.
- Not allow limescale to build-up on any element, particularly in harder water areas.

Quality

All Crosswater showering products are CE / UKCA marked and are manufactured to the following standards:



- BS EN 14428:2015 + A1:2018 for shower enclosures.
- BS EN 12150 for toughened glass.
- BS EN 14527 for shower trays.

Clear 6 Patents

To provide the very best performing and safest shower doors using the latest materials technology several European patents have been approved for Clear 6. Details of these if required can be applied for by calling our technical department.

Lifetime Guarantee

The Crosswater Lifetime guarantee is subject to online registration and represents the perceived lifetime of the product, which is 25 years.

To register and activate your guarantee or for full details of all Crosswater guarantees, please visit www.crosswater.co.uk

Shower doors and bath screens, excluding display installs:

- Glass breaks within 6 months of installation product replaced and costs for refitting are reimbursed by Crosswater
- Glass breaks within 6-24 months of installation product is replaced but no fitting costs reimbursed
- Glass breaks 24+ months of installation a 10% discount against a replacement product
- General wear and tear to any of the above items would be considered a specific exclusion

Crosswater guarantees do not affect your statutory rights.

For further advice visit www.crosswater.co.uk



Find a local bathroom specialist at www.crosswater.co.uk

Expertise, design & aftercare

Specialist bathroom retailers can offer expert assistance with your bathroom design, providing full 3D plans to help you visualise and create your own perfect bathroom space. Once your bathroom is installed, they can offer a personal point of contact for any after sales support you may need, delivering complete peace of mind.

Experience the products

The purchase process is an emotional one. Specialist showrooms allow you to touch and feel a wide variety of bathroom products in relaxed surroundings while gaining inspiration from knowledgeable professionals who will explain the benefits of each product and make recommendations that match your personal preferences.

crosswater[®]

crosswater[®]

Lake View House, Rennie Drive, Dartford, Kent DA1 5FU

crosswater.co.uk

25^{Years}
OF BATHROOM
EXCELLENCE



Part of the Bathroom Brands Group

